



Sterilization Container Systems

Surgical Trays & Wire Baskets



4th Year Anniversary

Product Catalog

CT20-0324



Applied Standards

EN ISO 11607-1 & 2

Packaging for terminally sterilized medical devices.

ISO 17664-2

Processing of health care products

ISO 17665-1

Sterilization of health care products.

EN 868-8

Packaging for terminally sterilized medical devices.

EN 285

Sterilization.
Steam sterilizers.
Large sterilizers.

DIN 58952-3

Sterilization
Transport baskets for sterile barrier systems

DIN 58953-9

Use of sterilization container

European Regulation (EU) 2017/745

Medical Devices

EN ISO 13485

Medical devices.
Quality management systems.
Requirements for regulatory.



TABLE OF CONTENTS



04-23

Introduction

24-75

Sterilization Containers

24-33

M Series Container Systems

34-51

W Series Container Systems

52-63

S Series Container Systems

64-71

A Series Container Systems

72-75

Specific Containers

76-95

Perforated Trays & Wire Baskets

76-81

Perforated Trays

82-87

Hybrid Baskets

88-95




Wire Baskets

96-105

Components

107-116

Index

Metalworking in the city of Trabzon	1950	
Studying the market in Türkiye and Europe	1980	
Bahadır Medical Devices LLC was established	1983	 <p>The lion head logo, designed in 1983, symbolized BAHADIR's ambition to lead their industry</p>
Bahadır Medical Devices LLC moved to Samsun Industrial Zone	1992	
Had the first ISO 9001 certificate in the Black Sea Region	1995	 <p>The modern Bahadır logo, designed by family members in 1989, incorporates the letter 'B' from the family name, overlapping to form an interlocking shape that symbolizes family unity and strong bonds</p>
Bahadır Medical Devices INC was established	1998	
Bahadır USA LLC was established, had FDA 510(k) clearance for sterilization containers	2005	
ISO 13485 Clearance	2006	
Bahadır Health INC was established and moved to Samsun Free Zone	2008	
Awarded for the best exporters of 2010 from the Chamber of Commerce and Industry	2010	
SAP was implemented and other significant projects started	2019	 <p>In 2015, as part of the Corporate Development Project, the logo was updated with softer shapes, creating a brand identity that symbolizes the innovative changes</p>
Engineering studies initiated for MDR compliance	2020	



40th Year Anniversary

Four Decades of Excellence in Medical Technologies

In 1983, Bahadır emerged as a family business that would go on to redefine the medical devices sector in Türkiye and beyond. Drawing on decades of professional experience in metalworking, Bahadır became the leader in Türkiye, laying the foundations for surgical instrument production. This groundbreaking move not only initiated the surgical instrument sector in Türkiye but also birthed and developed numerous companies in the industry through consultancy and technological support.

Our collaboration and interaction with the industry led the city of Samsun to become a prominent global hub for surgical instruments

From our early beginnings to our present-day status as an industry leader, our commitment to innovation, quality, and the highest standards of sterilization has remained unwavering. The trust and confidence of our valued customers, the dedication of our team, and our relentless pursuit of excellence have brought us to this remarkable juncture.

In closing, we extend our heartfelt gratitude to our customers, team members, and partners who have been integral to our success. The next 40 years promise new challenges and opportunities. We are poised to lead, innovate, and continue making a significant impact on sterilization technology.






Cleaning & Disinfection

Place the containers to the WD* in an open position and separated from their components

Prefer low alkaline cleaning agents, optimally neutral (7-10.5 pH) which is compatible with anodized aluminum and plastics



Perform the final rinsing with demineralized water

* Validated washer-disinfector according to EN ISO 15883

Sterilization

3x Pre-Vacuum Steam Sterilization



134°C



5 min



20 min

Ensure the proper loading weight* to prevent excess condensation, and leave space between packed items and the container filter

Reduce plastic packaging for less residual moisture

Position the heavy containers at the bottom



Stack the containers up to a max. height of 45 cm to ensure effective air release and steam** penetration



After the process, allow the containers to cool down to room temperature

Test the dryness and verify the thermal measurements***

* According to EN 868:8

** 100% saturated steam quality

*** According to EN ISO 17665



soft packaging?

Blue wrapping is a risky method due to its disadvantages, especially hole permeability which may compromise sterility. Even double wrapping fails to reduce the risk of contamination and instead raises costs and waste generation.



Sterilization containers present a sustainable alternative to traditional single-use (blue) wraps in healthcare settings. Research shows that they significantly reduce carbon emissions, producing less polypropylene woven plastic waste compared to blue wraps.

From an eco-cost perspective, these containers have a lower environmental impact, promoting a more sustainable approach to sterilization. Beyond the environmental benefits, sterilization containers improve infection control by eliminating the contamination risks due to soft packaging. In essence, sterilization containers are an optimal choice for healthcare facilities aiming to adopt a sustainable and efficient sterilization method.

Sustainable Reprocessing



Cost Effective



Low Waste



Less Carbon Footprint



Care & Maintenance

Replace silicone gaskets after 500 cycles.

Apply lubricant to metal sliding surfaces, moving parts, and joints.

Inspect gaskets for cracks and tears.

Check the seal in the retaining groove before each use; apply a leak test if required



Storage

Temperature: 15-26°C
Humidity: 30 - 50%
Air Pressure: 500-1060 hPa

The containers maintain sterility for 12 months under appropriate storage conditions*

* Tested in accordance with EN ISO 11607-1




sterile
up to
12 month






Sterilization Container Production Process

Throughout the entire journey from production to distribution, Bahadır Sterilization Container Systems are meticulously manufactured through several processes, resulting in durable and long-lasting products



Sterilization Expert



● Safety Lid



● Lid

● Lock



● Filter



● Container Base

● Front Panel



Enhanced Coating Better Protection

Anodization not only makes the aluminum corrosion-resistant and durable but also optimizes its thermal conductivity, ensuring that heat is evenly distributed during sterilization cycles which accelerates the evaporation of moisture, ensuring that the instruments and contents inside the container are thoroughly dried.

Surface Detail

Smoother surfaces enhance the contact between the aluminum and the surrounding environment, improving heat transfer. This is particularly important during the sterilization and drying phases, where efficient heat transfer is essential.

Protection Against Corrosion

This protection ensures that the oxide layer remains intact, preserving the improved thermal conductivity over time. It also prevents the formation of corrosion by-products that could hinder heat transfer.

Rigidity

Robust construction with 2 mm sheet thickness.



Benefits

Durability & Longevity
Consistent Performance
Reliable Sterilization Process



Optimal Compatibility

Combining Bahadır products, such as trays and components, ensures reliable handling and ventilation of instruments during the sterilization process. They are optimally designed to complete each other, ensuring optimal compatibility.



Type and Size Variations

Bahadır Sterilization Containers are manufactured in a range of sizes, offering specific solutions to meet the requirements of healthcare professionals.

Designed with user-friendly features that improve convenience in packaging and storage processes, optimizing workflow efficiency for CSSD.



Standard Height Sizes

———— (mm)

100

130

150

200

260

There are 5 different height options available in standard container types

Specific Needs Particular Solutions

Bahadır Sterilization Containers are typically available in three standard sizes: full (1/1), medium (3/4), and half (1/2) which meet flexibility and compatibility with a wide range of surgical instrument sets and medical equipment. Additionally, to meet specific needs, we offer various types of containers, providing particular solutions.





Maintain Integrity With Safety Lids

The safety lids offered by Bahadır Container Systems serve multiple functions, providing impact protection and safeguarding against contamination during both storage and transport. These features are essential for maintaining the integrity of the filters while not compromising air circulation.

Bahadır Container Systems offers two distinct types of safety lids, one of which is designed for easy disassembly and reassembly. The lock button, conveniently located on the top of the lid, facilitates effortless handling.

Lock Button

Only available for
W and S series with
disposable filters








Optimal Choices

Bahadır Sterilization Containers are versatile and suitable for a variety of sterilization needs. Users can choose between a perforated lid with a non-perforated base for pre-vacuum and post-vacuum cycles or a perforated base for gravity cycles.



Sterilization Methods

Container Types	Pre-Vacuum	Gravity	Fractional Vacuum	Fractional Flow	Steam Injection
 Perforated Perforated	✓	✓	✓	✓	✓
 Perforated Non-perforated	✓	—	✓	✓	✓
 Non-perforated Perforated	✓	—	✓	✓	✓
 Barrier Systems	✓	—	✓	✓	✓
 Non-perforated Non-perforated	—	—	—	—	—

According to DIN EN 868-8



Space Saving

Bahadır Sterilization Containers can be efficiently used in environments with limited space due to their stackable feature. The bases and lids of the containers are designed to be compatible with each other, allowing them to be stacked on top of one another. This feature enables users to maximize storage and transportation space.

The stackability feature ensures that the containers can be stored in an orderly and organized manner, enabling users to utilize their space more efficiently.



Disposable Filters

The filter holders, which are securely fastened to the lid with a quick click, provide a leakproof seal with a perimeter gasket and ensure the secure placement of the filter. Users can choose between single-use paper filters or 1200-cycle reusable PTFE filters to prevent the entry of microorganisms during the sterilization process. This allows our products to offer maximum protection. Our filter holders are made of high-quality stainless steel, and a silicone seal on the filter holder ensures a secure and leakproof seal.

Silicone Gasket

Easily removable for self maintenance



Type I

Single-use paper filter

Type II

PTFE filters up to 1500 cycles



Effortlessly Practical: Reusable Barrier Systems

Bahadır Reusable Barrier Systems offer a cost-effective and eco-friendly solution compared to disposable filters, especially for long-term applications.

These systems feature innovative engineering that enables multiple uses without frequent filter replacements and supplies, making them a cost-effective choice for healthcare facilities with continuous operational demands. Moreover, they have the advantage of allowing users to carry out their operations with minimal effort.



The Key Features



- Durable high-quality materials, ensuring longevity and resistance to wear and tear.
- Ease of sterilization and cleaning, essential for maintaining aseptic conditions
- Significantly reducing waste generation for more sustainable and eco-friendly processes.

What is the Bio-Barrier?

The Bahadır Bio-Barrier filter, inspired by Pasteur's swan-neck flask concept, is designed to effectively capture and contain microorganisms. One of its key advantages is its long lifespan, as it doesn't require frequent filter replacements, making it a cost-effective and user-friendly solution.

Filter Detail

High quality anodized aluminum



The specific design of the system creates varying airflow velocities, effectively causing the separation of airflow and microorganisms. This barrier effectively prevents microbes from passing through, ensuring that only clean and filtered air enters the container. Simultaneously, it contains the microorganisms within low-flow areas of the labyrinth, maintaining a controlled and sterile environment inside the container.

Valve System

The Bahadır Valve System features aluminum plates positioned between the upper and lower parts of the barrier. During a sterilization cycle, which involve both negative and positive pressure conditions, the upper small aluminum plate in the system serves as a check valve. This mechanism regulates the flow of steam in and out of the container. When there is no external force, such as vacuum or steam, acting on the flow control valve, the entire system remains sealed.



Label Holder

The label holder is an ideal option for customizing our sterilization containers. It can be easily attached to your products, securely holding labels in place for accurate identification and quick access.



Indicator

Indicator is an important component of the sterilization process in terms of validation and safety. It demonstrates the successful completion of sterilization through color change. Due to the specially designed placement area on the front panel of the container, the indicator can be easily positioned and is easily visible to users.



Ergonomic Locking System

The ergonomic locking system in our products is made of high-quality stainless steel, offering maximum convenience, security, and durability. It enables quick and secure locking and unlocking of containers, due to its easy-to-grasp grip surface. With its stainless steel construction, the system exhibits resistance to wear, easy cleaning, and reliable performance in sterile environments.

Security Seals and Sterility

Security seals ensure the protection of sterile containers against contamination and indicate the sterility of the contents. These seals are used to secure the container and prevent unauthorized access. When the seal is broken, it visually indicates that the container may have been compromised, thereby preventing contamination risks.



Security Seal



Security Seal
(Service)



Security seals are offered in two color options, blue and red.

High-Temperature Resistant

Security seals are resistant to negative/positive steam pressure at 134°C, ensuring the prevention of contamination during transportation and storage after sterilization while maintaining container integrity.



Colorful Options With M Series

The front panels of the M Series are creatively designed to provide users with a variety of color options, enabling the organized and easy management of the sterilization process.

Colors



The M Series offers seven different color choices



Easily Identify With Lids

The W, S, and A Series feature color-coded lids, offering a quick and suitable method for categorization by color, which is easy to identify.

Colors



The W / S / A Series offers six different color choices





M SERIES CONTAINER SYSTEMS

Full Size (1/1)

26-27

Middle Size (3/4)

28-29

Half Size (1/2)

30-31

XXL Size

32-33



Lid & Base Closed



Lid Closed / Base Perforated



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Closed
Base Closed

	585x280x105 550x260x85	585x280x135 550x260x115	585x280x155 550x260x135	585x280x205 550x260x185	585x280x265 550x260x245
●	Y112.10M	Y112.13M	Y112.15M	Y112.20M	Y112.26M
●	Y122.10M	Y122.13M	Y122.15M	Y122.20M	Y122.26M
●	Y132.10M	Y132.13M	Y132.15M	Y132.20M	Y132.26M
●	Y142.10M	Y142.13M	Y142.15M	Y142.20M	Y142.26M
●	Y152.10M	Y152.13M	Y152.15M	Y152.20M	Y152.26M
●	Y162.10M	Y162.13M	Y162.15M	Y162.20M	Y162.26M
●	Y172.10M	Y172.13M	Y172.15M	Y172.20M	Y172.26M



Lid Closed
Base Perforated

	585x280x105 550x260x75	585x280x135 550x260x105	585x280x155 550x260x125	585x280x205 550x260x175	585x280x265 550x260x235
●	Y113.10M	Y113.13M	Y113.15M	Y113.20M	Y113.26M
●	Y123.10M	Y123.13M	Y123.15M	Y123.20M	Y123.26M
●	Y133.10M	Y133.13M	Y133.15M	Y133.20M	Y133.26M
●	Y143.10M	Y143.13M	Y143.15M	Y143.20M	Y143.26M
●	Y153.10M	Y153.13M	Y153.15M	Y153.20M	Y153.26M
●	Y163.10M	Y163.13M	Y163.15M	Y163.20M	Y163.26M
●	Y173.10M	Y173.13M	Y173.15M	Y173.20M	Y173.26M

M SERIES

Full Size (1/1)



Outside Dimensions (mm)
Inside Dimensions (mm)



Base
Closed

585x280x90 550x260x85	585x280x120 550x260x115	585x280x140 550x260x135	585x280x190 550x260x185	585x280x250 550x260x245
● Y105.10M1	Y105.13M1	Y105.15M1	Y105.20M1	Y105.26M1
● Y105.10M2	Y105.13M2	Y105.15M2	Y105.20M2	Y105.26M2
● Y105.10M3	Y105.13M3	Y105.15M3	Y105.20M3	Y105.26M3
● Y105.10M4	Y105.13M4	Y105.15M4	Y105.20M4	Y105.26M4
● Y105.10M5	Y105.13M5	Y105.15M5	Y105.20M5	Y105.26M5
● Y105.10M6	Y105.13M6	Y105.15M6	Y105.20M6	Y105.26M6
● Y105.10M7	Y105.13M7	Y105.15M7	Y105.20M7	Y105.26M7



Base
Perforated *

585x280x90 550x260x75	585x280x120 550x260x105	585x280x140 550x260x125	585x280x190 550x260x175	585x280x250 550x260x235
● Y106.10M1	Y106.13M1	Y106.15M1	Y106.20M1	Y106.26M1
● Y106.10M2	Y106.13M2	Y106.15M2	Y106.20M2	Y106.26M2
● Y106.10M3	Y106.13M3	Y106.15M3	Y106.20M3	Y106.26M3
● Y106.10M4	Y106.13M4	Y106.15M4	Y106.20M4	Y106.26M4
● Y106.10M5	Y106.13M5	Y106.15M5	Y106.20M5	Y106.26M5
● Y106.10M6	Y106.13M6	Y106.15M6	Y106.20M6	Y106.26M6
● Y106.10M7	Y106.13M7	Y106.15M7	Y106.20M7	Y106.26M7



Lid

585x280
● Y103.07M

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



	465x280x105 430x260x85	465x280x135 430x260x115	465x280x155 430x260x135	465x280x205 430x260x185
● Y212.10M		Y212.13M	Y212.15M	Y212.20M
● Y222.10M		Y222.13M	Y222.15M	Y222.20M
● Y232.10M		Y232.13M	Y232.15M	Y232.20M
● Y242.10M		Y242.13M	Y242.15M	Y242.20M
● Y252.10M		Y252.13M	Y252.15M	Y252.20M
● Y262.10M		Y262.13M	Y262.15M	Y262.20M
● Y272.10M		Y272.13M	Y272.15M	Y272.20M



	465x280x105 430x260x75	465x280x135 430x260x105	465x280x155 430x260x125	465x280x205 430x260x175
● Y213.10M		Y213.13M	Y213.15M	Y213.20M
● Y223.10M		Y223.13M	Y223.15M	Y223.20M
● Y233.10M		Y233.13M	Y233.15M	Y233.20M
● Y243.10M		Y243.13M	Y243.15M	Y243.20M
● Y253.10M		Y253.13M	Y253.15M	Y253.20M
● Y263.10M		Y263.13M	Y263.15M	Y263.20M
● Y273.10M		Y273.13M	Y273.15M	Y273.20M



M SERIES

Middle Size (3/4)

Outside Dimensions (mm)
Inside Dimensions (mm)



Base
Closed

Outside Dimensions (mm)	465x280x90 430x260x85	465x280x120 430x260x115	465x280x140 430x260x135	465x280x190 430x260x185
●	Y205.10M1	Y205.13M1	Y205.15M1	Y205.20M1
●	Y205.10M2	Y205.13M2	Y205.15M2	Y205.20M2
●	Y205.10M3	Y205.13M3	Y205.15M3	Y205.20M3
●	Y205.10M4	Y205.13M4	Y205.15M4	Y205.20M4
●	Y205.10M5	Y205.13M5	Y205.15M5	Y205.20M5
●	Y205.10M6	Y205.13M6	Y205.15M6	Y205.20M6
●	Y205.10M7	Y205.13M7	Y205.15M7	Y205.20M7



Base
Perforated *

Outside Dimensions (mm)	465x280x90 430x260x75	465x280x120 430x260x105	465x280x140 430x260x125	465x280x190 430x260x175
●	Y206.10M1	Y206.13M1	Y206.15M1	Y206.20M1
●	Y206.10M2	Y206.13M2	Y206.15M2	Y206.20M2
●	Y206.10M3	Y206.13M3	Y206.15M3	Y206.20M3
●	Y206.10M4	Y206.13M4	Y206.15M4	Y206.20M4
●	Y206.10M5	Y206.13M5	Y206.15M5	Y206.20M5
●	Y206.10M6	Y206.13M6	Y206.15M6	Y206.20M6
●	Y206.10M7	Y206.13M7	Y206.15M7	Y206.20M7



Lid

Outside Dimensions (mm)	465x280
●	Y203.07M

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Closed
Base Closed

	295x280x105 260x260x85	295x280x135 260x260x115	295x280x155 260x260x135	295x280x205 260x260x185	295x280x265 260x260x245
● Y312.10M		Y312.13M	Y312.15M	Y312.20M	Y312.26M
● Y322.10M		Y322.13M	Y322.15M	Y322.20M	Y322.26M
● Y332.10M		Y332.13M	Y332.15M	Y332.20M	Y332.26M
● Y342.10M		Y342.13M	Y342.15M	Y342.20M	Y342.26M
● Y352.10M		Y352.13M	Y352.15M	Y352.20M	Y352.26M
● Y362.10M		Y362.13M	Y362.15M	Y362.20M	Y362.26M
● Y372.10M		Y372.13M	Y372.15M	Y372.20M	Y372.26M



Lid Closed
Base Perforated

	295x280x105 260x260x75	295x280x135 260x260x105	295x280x155 260x260x125	295x280x205 260x260x175	295x280x265 260x260x235
● Y313.10M		Y313.13M	Y313.15M	Y313.20M	Y313.26M
● Y323.10M		Y323.13M	Y323.15M	Y323.20M	Y323.26M
● Y333.10M		Y333.13M	Y333.15M	Y333.20M	Y333.26M
● Y343.10M		Y343.13M	Y343.15M	Y343.20M	Y343.26M
● Y353.10M		Y353.13M	Y353.15M	Y353.20M	Y353.26M
● Y363.10M		Y363.13M	Y363.15M	Y363.20M	Y363.26M
● Y373.10M		Y373.13M	Y373.15M	Y373.20M	Y373.26M

M SERIES

Half Size (1/2)



Outside Dimensions (mm)
Inside Dimensions (mm)



Base
Closed

	295x280x90 260x260x85	295x280x120 260x260x115	295x280x140 260x260x135	295x280x190 260x260x185	295x280x250 260x260x245
● Y305.10M1	Y305.13M1	Y305.15M1	Y305.20M1	Y305.26M1	
● Y305.10M2	Y305.13M2	Y305.15M2	Y305.20M2	Y305.26M2	
● Y305.10M3	Y305.13M3	Y305.15M3	Y305.20M3	Y305.26M3	
● Y305.10M4	Y305.13M4	Y305.15M4	Y305.20M4	Y305.26M4	
● Y305.10M5	Y305.13M5	Y305.15M5	Y305.20M5	Y305.26M5	
● Y305.10M6	Y305.13M6	Y305.15M6	Y305.20M6	Y305.26M6	
● Y305.10M7	Y305.13M7	Y305.15M7	Y305.20M7	Y305.26M7	



Base
Perforated *

	295x280x90 260x260x75	295x280x120 260x260x105	295x280x140 260x260x125	295x280x190 260x260x175	295x280x250 260x260x235
● Y306.10M1	Y306.13M1	Y306.15M1	Y306.20M1	Y306.26M1	
● Y306.10M2	Y306.13M2	Y306.15M2	Y306.20M2	Y306.26M2	
● Y306.10M3	Y306.13M3	Y306.15M3	Y306.20M3	Y306.26M3	
● Y306.10M4	Y306.13M4	Y306.15M4	Y306.20M4	Y306.26M4	
● Y306.10M5	Y306.13M5	Y306.15M5	Y306.20M5	Y306.26M5	
● Y306.10M6	Y306.13M6	Y306.15M6	Y306.20M6	Y306.26M6	
● Y306.10M7	Y306.13M7	Y306.15M7	Y306.20M7	Y306.26M7	



Lid

295x280

● Y303.07M

* Product code does not include the filters,
for visual purposes only.



Types

Outside Dimensions (mm)

770x315x190



- Y111.92M
- Y121.92M
- Y131.92M
- Y141.92M
- Y151.92M
- Y161.92M
- Y171.92M

M SERIES

XXL Size



Outside Dimensions (mm)

770x315x170



Base
Perforated *

- Y106.92M1
- Y106.92M2
- Y106.92M3
- Y106.92M4
- Y106.92M5
- Y106.92M6
- Y106.92M7



Lid

770x315

- Y100.97M

* Product code does not include the filters, for visual purposes only.



W SERIES CONTAINER SYSTEMS

Standard

36-41

Full Size (1/1), Middle Size (3/4)
Half Size (1/2)

Reusable Systems

42-47

Full Size (1/1), Middle Size (3/4)
Half Size (1/2)

Long Body

48

Wide Body

49

Removal

50-51

Full Size (1/1), Middle Size (3/4)



Lid Perforated / Base Closed



Lid Safety Lid / Base Perforated



Lid & Base Perforated



Lid Safety Lid / Base Closed



Lid & Base Closed



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	585x280x105 550x260x85	585x280x135 550x260x115	585x280x155 550x260x135	585x280x205 550x260x185	585x280x265 550x260x245
 Lid Perforated Base Closed	● Y110.10W	● Y110.13W	● Y110.15W	● Y110.20W	● Y110.26W
	● Y120.10W	● Y120.13W	● Y120.15W	● Y120.20W	● Y120.26W
	● Y130.10W	● Y130.13W	● Y130.15W	● Y130.20W	● Y130.26W
	● Y140.10W	● Y140.13W	● Y140.15W	● Y140.20W	● Y140.26W
	● Y150.10W	● Y150.13W	● Y150.15W	● Y150.20W	● Y150.26W
	● Y160.10W	● Y160.13W	● Y160.15W	● Y160.20W	● Y160.26W
 Lid Safety Lid Base Closed	● Y112.10W	● Y112.13W	● Y112.15W	● Y112.20W	● Y112.26W
	● Y122.10W	● Y122.13W	● Y122.15W	● Y122.20W	● Y122.26W
	● Y132.10W	● Y132.13W	● Y132.15W	● Y132.20W	● Y132.26W
	● Y142.10W	● Y142.13W	● Y142.15W	● Y142.20W	● Y142.26W
	● Y152.10W	● Y152.13W	● Y152.15W	● Y152.20W	● Y152.26W
	● Y162.10W	● Y162.13W	● Y162.15W	● Y162.20W	● Y162.26W
 Lid Perforated Base Perforated	● Y111.10W	● Y111.13W	● Y111.15W	● Y111.20W	● Y111.26W
	● Y121.10W	● Y121.13W	● Y121.15W	● Y121.20W	● Y121.26W
	● Y131.10W	● Y131.13W	● Y131.15W	● Y131.20W	● Y131.26W
	● Y141.10W	● Y141.13W	● Y141.15W	● Y141.20W	● Y141.26W
	● Y151.10W	● Y151.13W	● Y151.15W	● Y151.20W	● Y151.26W
	● Y161.10W	● Y161.13W	● Y161.15W	● Y161.20W	● Y161.26W
 Lid Safety Lid Base Perforated	● Y113.10W	● Y113.13W	● Y113.15W	● Y113.20W	● Y113.26W
	● Y123.10W	● Y123.13W	● Y123.15W	● Y123.20W	● Y123.26W
	● Y133.10W	● Y133.13W	● Y133.15W	● Y133.20W	● Y133.26W
	● Y143.10W	● Y143.13W	● Y143.15W	● Y143.20W	● Y143.26W
	● Y153.10W	● Y153.13W	● Y153.15W	● Y153.20W	● Y153.26W
	● Y163.10W	● Y163.13W	● Y163.15W	● Y163.20W	● Y163.26W



W SERIES

Full Size (1/1)

Outside - Inside Dimensions (mm)

Code

585x280x90 - 550x260x85	Y105.10W
585x280x120 - 550x260x115	Y105.13W
585x280x140 - 550x260x135	Y105.15W
585x280x190 - 550x260x185	Y105.20W
585x280x250 - 550x260x245	Y105.26W



Base
Closed

585x280 (mm)

Code

●	Y100.01
●	Y100.02
●	Y100.03
●	Y100.04
●	Y100.05
●	Y100.06



Lid
Perforated

Outside - Inside Dimensions (mm)

Code

585x280x90 - 550x260x75	Y106.10W
585x280x120 - 550x260x105	Y106.13W
585x280x140 - 550x260x125	Y106.15W
585x280x190 - 550x260x175	Y106.20W
585x280x250 - 550x260x235	Y106.26W



Base
Perforated *

585x280 (mm)

Code

●	Y103.01B
●	Y103.02B
●	Y103.03B
●	Y103.04B
●	Y103.05B
●	Y103.06B



Safety
Lid

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	465x280x105 430x260x85	465x280x135 430x260x115	465x280x155 430x260x135	465x280x205 430x260x185
 Lid Perforated Base Closed	● Y210.10W	● Y210.13W	● Y210.15W	● Y210.20W
	● Y220.10W	● Y220.13W	● Y220.15W	● Y220.20W
	● Y230.10W	● Y230.13W	● Y230.15W	● Y230.20W
	● Y240.10W	● Y240.13W	● Y240.15W	● Y240.20W
	● Y250.10W	● Y250.13W	● Y250.15W	● Y250.20W
	● Y260.10W	● Y260.13W	● Y260.15W	● Y260.20W
	 Lid Safety Lid Base Closed	● Y212.10W	● Y212.13W	● Y212.15W
● Y222.10W		● Y222.13W	● Y222.15W	● Y222.20W
● Y232.10W		● Y232.13W	● Y232.15W	● Y232.20W
● Y242.10W		● Y242.13W	● Y242.15W	● Y242.20W
● Y252.10W		● Y252.13W	● Y252.15W	● Y252.20W
● Y262.10W		● Y262.13W	● Y262.15W	● Y262.20W
 Lid Perforated Base Perforated		● Y211.10W	● Y211.13W	● Y211.15W
	● Y221.10W	● Y221.13W	● Y221.15W	● Y221.20W
	● Y231.10W	● Y231.13W	● Y231.15W	● Y231.20W
	● Y241.10W	● Y241.13W	● Y241.15W	● Y241.20W
	● Y251.10W	● Y251.13W	● Y251.15W	● Y251.20W
	● Y261.10W	● Y261.13W	● Y261.15W	● Y261.20W
	 Lid Safety Lid Base Perforated	● Y213.10W	● Y213.13W	● Y213.15W
● Y223.10W		● Y223.13W	● Y223.15W	● Y223.20W
● Y233.10W		● Y233.13W	● Y233.15W	● Y233.20W
● Y243.10W		● Y243.13W	● Y243.15W	● Y243.20W
● Y253.10W		● Y253.13W	● Y253.15W	● Y253.20W
● Y263.10W		● Y263.13W	● Y263.15W	● Y263.20W



W SERIES

Middle Size (3/4)

Outside - Inside Dimensions (mm)

Code

465x280x90 - 430x260x85 Y205.10W

465x280x120 - 430x260x115 Y205.13W

465x280x140 - 430x260x135 Y205.15W

465x280x190 - 430x260x185 Y205.20W

465x280 (mm)

Code

● Y200.01

● Y200.02

● Y200.03

● Y200.04

● Y200.05

● Y200.06



Base
Closed



Lid
Perforated

Outside - Inside Dimensions (mm)

Code

465x280x90 - 430x260x75 Y206.10W

465x280x120 - 430x260x105 Y206.13W

465x280x140 - 430x260x125 Y206.15W

465x280x190 - 430x260x175 Y206.20W

465x280 (mm)

Code

● Y203.01B

● Y203.02B

● Y203.03B

● Y203.04B

● Y203.05B

● Y203.06B



Base
Perforated *



Safety
Lid

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	295x280x105 260x260x85	295x280x135 260x260x115	295x280x155 260x260x135	295x280x205 260x260x185	295x280x265 260x260x245
 Lid Perforated Base Closed	● Y310.10W	● Y310.13W	● Y310.15W	● Y310.20W	● Y310.26W
	● Y320.10W	● Y320.13W	● Y320.15W	● Y320.20W	● Y320.26W
	● Y330.10W	● Y330.13W	● Y330.15W	● Y330.20W	● Y330.26W
	● Y340.10W	● Y340.13W	● Y340.15W	● Y340.20W	● Y340.26W
	● Y350.10W	● Y350.13W	● Y350.15W	● Y350.20W	● Y350.26W
	● Y360.10W	● Y360.13W	● Y360.15W	● Y360.20W	● Y360.26W
 Lid Safety Lid Base Closed	● Y312.10W	● Y312.13W	● Y312.15W	● Y312.20W	● Y312.26W
	● Y322.10W	● Y322.13W	● Y322.15W	● Y322.20W	● Y322.26W
	● Y332.10W	● Y332.13W	● Y332.15W	● Y332.20W	● Y332.26W
	● Y342.10W	● Y342.13W	● Y342.15W	● Y342.20W	● Y342.26W
	● Y352.10W	● Y352.13W	● Y352.15W	● Y352.20W	● Y352.26W
	● Y362.10W	● Y362.13W	● Y362.15W	● Y362.20W	● Y362.26W
 Lid Perforated Base Perforated	● Y311.10W	● Y311.13W	● Y311.15W	● Y311.20W	● Y311.26W
	● Y321.10W	● Y321.13W	● Y321.15W	● Y321.20W	● Y321.26W
	● Y331.10W	● Y331.13W	● Y331.15W	● Y331.20W	● Y331.26W
	● Y341.10W	● Y341.13W	● Y341.15W	● Y341.20W	● Y341.26W
	● Y351.10W	● Y351.13W	● Y351.15W	● Y351.20W	● Y351.26W
	● Y361.10W	● Y361.13W	● Y361.15W	● Y361.20W	● Y361.26W
 Lid Safety Lid Base Perforated	● Y313.10W	● Y313.13W	● Y313.15W	● Y313.20W	● Y313.26W
	● Y323.10W	● Y323.13W	● Y323.15W	● Y323.20W	● Y323.26W
	● Y333.10W	● Y333.13W	● Y333.15W	● Y333.20W	● Y333.26W
	● Y343.10W	● Y343.13W	● Y343.15W	● Y343.20W	● Y343.26W
	● Y353.10W	● Y353.13W	● Y353.15W	● Y353.20W	● Y353.26W
	● Y363.10W	● Y363.13W	● Y363.15W	● Y363.20W	● Y363.26W



W SERIES

Half Size (1/2)

Outside - Inside Dimensions (mm)

Code

295x280x90 - 260x260x85	Y305.10W
295x280x120 - 260x260x115	Y305.13W
295x280x140 - 260x260x135	Y305.15W
295x280x190 - 260x260x185	Y305.20W
295x280x250 - 260x260x245	Y305.26W



Base
Closed

295x280 (mm)

Code

	Y300.01
	Y300.02
	Y300.03
	Y300.04
	Y300.05
	Y300.06



Lid
Perforated

Outside - Inside Dimensions (mm)

Code

295x280x90 - 260x260x75	Y306.10W
295x280x120 - 260x260x105	Y306.13W
295x280x140 - 260x260x125	Y306.15W
295x280x190 - 260x260x175	Y306.20W
295x280x250 - 260x260x235	Y306.26W



Base
Perforated *

295x280 (mm)

Code

	Y303.01B
	Y303.02B
	Y303.03B
	Y303.04B
	Y303.05B
	Y303.06B



Safety
Lid

* Product code does not include the filters, for visual purposes only.

Bio-Barrier

Valve

PTFE



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Closed
Base Closed

Bio-Barrier

	585x280x105 550x260x85	585x280x135 550x260x115	585x280x155 550x260x135	585x280x205 550x260x185	585x280x265 550x260x245
● Y110.10WB	Y110.10WB	Y110.13WB	Y110.15WB	Y110.20WB	Y110.26WB
● Y120.10WB	Y120.10WB	Y120.13WB	Y120.15WB	Y120.20WB	Y120.26WB
● Y130.10WB	Y130.10WB	Y130.13WB	Y130.15WB	Y130.20WB	Y130.26WB
● Y140.10WB	Y140.10WB	Y140.13WB	Y140.15WB	Y140.20WB	Y140.26WB
● Y150.10WB	Y150.10WB	Y150.13WB	Y150.15WB	Y150.20WB	Y150.26WB
● Y160.10WB	Y160.10WB	Y160.13WB	Y160.15WB	Y160.20WB	Y160.26WB

Valve

● Y110.10WV	Y110.10WV	Y110.13WV	Y110.15WV	Y110.20WV	Y110.26WV
● Y120.10WV	Y120.10WV	Y120.13WV	Y120.15WV	Y120.20WV	Y120.26WV
● Y130.10WV	Y130.10WV	Y130.13WV	Y130.15WV	Y130.20WV	Y130.26WV
● Y140.10WV	Y140.10WV	Y140.13WV	Y140.15WV	Y140.20WV	Y140.26WV
● Y150.10WV	Y150.10WV	Y150.13WV	Y150.15WV	Y150.20WV	Y150.26WV
● Y160.10WV	Y160.10WV	Y160.13WV	Y160.15WV	Y160.20WV	Y160.26WV

PTFE

● Y110.10WP	Y110.10WP	Y110.13WP	Y110.15WP	Y110.20WP	Y110.26WP
● Y120.10WP	Y120.10WP	Y120.13WP	Y120.15WP	Y120.20WP	Y120.26WP
● Y130.10WP	Y130.10WP	Y130.13WP	Y130.15WP	Y130.20WP	Y130.26WP
● Y140.10WP	Y140.10WP	Y140.13WP	Y140.15WP	Y140.20WP	Y140.26WP
● Y150.10WP	Y150.10WP	Y150.13WP	Y150.15WP	Y150.20WP	Y150.26WP
● Y160.10WP	Y160.10WP	Y160.13WP	Y160.15WP	Y160.20WP	Y160.26WP



W SERIES/Reusable

Full Size (1/1)

Outside - Inside Dimensions (mm)

Code

585x280x90 - 550x260x85	Y105.10W
585x280x120 - 550x260x115	Y105.13W
585x280x140 - 550x260x135	Y105.15W
585x280x190 - 550x260x185	Y105.20W
585x280x250 - 550x260x245	Y105.26W



Base
Closed

Bio-Barrier

585x280 mm

Code

- Y100.01B
- Y100.02B
- Y100.03B
- Y100.04B
- Y100.05B
- Y100.06B

Valve

585x280 mm

Code

- Y100.01V
- Y100.02V
- Y100.03V
- Y100.04V
- Y100.05V
- Y100.06V

PTFE

585x280 mm

Code

- Y100.01P
- Y100.02P
- Y100.03P
- Y100.04P
- Y100.05P
- Y100.06P



Lid

Bio-Barrier

Valve

PTFE



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Closed
Base Closed

Bio-Barrier

	465x280x105 430x260x85	465x280x135 430x260x115	465x280x155 430x260x135	465x280x205 430x260x185
●	Y210.10WB	Y210.13WB	Y210.15WB	Y210.20WB
●	Y220.10WB	Y220.13WB	Y220.15WB	Y220.20WB
●	Y230.10WB	Y230.13WB	Y230.15WB	Y230.20WB
●	Y240.10WB	Y240.13WB	Y240.15WB	Y240.20WB
●	Y250.10WB	Y250.13WB	Y250.15WB	Y250.20WB
●	Y260.10WB	Y260.13WB	Y260.15WB	Y260.20WB

Valve

●	Y210.10WV	Y210.13WV	Y210.15WV	Y210.20WV
●	Y220.10WV	Y220.13WV	Y220.15WV	Y220.20WV
●	Y230.10WV	Y230.13WV	Y230.15WV	Y230.20WV
●	Y240.10WV	Y240.13WV	Y240.15WV	Y240.20WV
●	Y250.10WV	Y250.13WV	Y250.15WV	Y250.20WV
●	Y260.10WV	Y260.13WV	Y260.15WV	Y260.20WV

PTFE

●	Y210.10WP	Y210.13WP	Y210.15WP	Y210.20WP
●	Y220.10WP	Y220.13WP	Y220.15WP	Y220.20WP
●	Y230.10WP	Y230.13WP	Y230.15WP	Y230.20WP
●	Y240.10WP	Y240.13WP	Y240.15WP	Y240.20WP
●	Y250.10WP	Y250.13WP	Y250.15WP	Y250.20WP
●	Y260.10WP	Y260.13WP	Y260.15WP	Y260.20WP



W SERIES/Reusable

Middle Size (3/4)

Outside - Inside Dimensions (mm)

Code

465x280x90 - 430x260x85 Y205.10W

465x280x120 - 430x260x115 Y205.13W

465x280x140 - 430x260x135 Y205.15W

465x280x190 - 430x260x185 Y205.20W



Base
Closed

Bio-Barrier

465x280 (mm)

Code

- Y200.01B
- Y200.02B
- Y200.03B
- Y200.04B
- Y200.05B
- Y200.06B

Valve

465x280 (mm)

Code


- Y200.01V
- Y200.02V
- Y200.03V
- Y200.04V
- Y200.05V
- Y200.06V

PTFE

465x280 (mm)

Code

- Y200.01P
- Y200.02P
- Y200.03P
- Y200.04P
- Y200.05P
- Y200.06P



Lid

Bio Barrier

Valve

PTFE



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Closed
Base Closed

Bio-Barrier

	295x280x105 260x260x85	295x280x135 260x260x115	295x280x155 260x260x135	295x280x205 260x260x185	295x280x265 260x260x245
● Y310.10WB	Y310.13WB	Y310.15WB	Y310.20WB	Y310.26WB	
● Y320.10WB	Y320.13WB	Y320.15WB	Y320.20WB	Y320.26WB	
● Y330.10WB	Y330.13WB	Y330.15WB	Y330.20WB	Y330.26WB	
● Y340.10WB	Y340.13WB	Y340.15WB	Y340.20WB	Y340.26WB	
● Y350.10WB	Y350.13WB	Y350.15WB	Y350.20WB	Y350.26WB	
● Y360.10WB	Y360.13WB	Y360.15WB	Y360.20WB	Y360.26WB	

Valve

● Y310.10WV	Y310.13WV	Y310.15WV	Y310.20WV	Y310.26WV	
● Y320.10WV	Y320.13WV	Y320.15WV	Y320.20WV	Y320.26WV	
● Y330.10WV	Y330.13WV	Y330.15WV	Y330.20WV	Y330.26WV	
● Y340.10WV	Y340.13WV	Y340.15WV	Y340.20WV	Y340.26WV	
● Y350.10WV	Y350.13WV	Y350.15WV	Y350.20WV	Y350.26WV	
● Y360.10WV	Y360.13WV	Y360.15WV	Y360.20WV	Y360.26WV	

PTFE

● Y310.10WP	Y310.13WP	Y310.15WP	Y310.20WP	Y310.26WP	
● Y320.10WP	Y320.13WP	Y320.15WP	Y320.20WP	Y320.26WP	
● Y330.10WP	Y330.13WP	Y330.15WP	Y330.20WP	Y330.26WP	
● Y340.10WP	Y340.13WP	Y340.15WP	Y340.20WP	Y340.26WP	
● Y350.10WP	Y350.13WP	Y350.15WP	Y350.20WP	Y350.26WP	
● Y360.10WP	Y360.13WP	Y360.15WP	Y360.20WP	Y360.26WP	

W SERIES/Reusable

Half Size (1/2)



Outside - Inside Dimensions (mm)

Code

295x280x90 - 260x260x85	Y305.10W
295x280x120 - 260x260x115	Y305.13W
295x280x140 - 260x260x135	Y305.15W
295x280x190 - 260x260x185	Y305.20W
295x280x250 - 260x260x245	Y305.26W



Base
Closed

Bio Barrier

295x280 (mm)

Code

- Y300.01B
- Y300.02B
- Y300.03B
- Y300.04B
- Y300.05B
- Y300.06B

Valve

295x280 (mm)

Code

- Y300.01V
- Y300.02V
- Y300.03V
- Y300.04V
- Y300.05V
- Y300.06V

PTFE

295x280 (mm)

Code

- Y300.01P
- Y300.02P
- Y300.03P
- Y300.04P
- Y300.05P
- Y300.06P



Lid

W SERIES

Long & Wide Body



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

710x280x205
685x260x185

- Y110.70W
- Y120.70W
- Y130.70W
- Y140.70W
- Y150.70W
- Y160.70W

Lid Perforated
Base Closed

Types

Outside Dimensions (mm)
Inside Dimensions (mm)

600x400x125
565x380x105

600x400x185
565x380x165

- Y110.62W
- Y120.62W
- Y130.62W
- Y140.62W
- Y150.62W
- Y160.62W

- Y110.68W
- Y120.68W
- Y130.68W
- Y140.68W
- Y150.68W
- Y160.68W

Lid Perforated
Base Closed

710x280x205
685x260x175

- Y111.70W
- Y121.70W
- Y131.70W
- Y141.70W
- Y151.70W
- Y161.70W

Lid Perforated
Base Perforated

600x400x125
565x380x95

600x400x185
565x380x155

- Y111.62W
- Y121.62W
- Y131.62W
- Y141.62W
- Y151.62W
- Y161.62W

- Y111.68W
- Y121.68W
- Y131.68W
- Y141.68W
- Y151.68W
- Y161.68W

Lid Perforated
Base Perforated

710x280 (mm)

Code

- Y100.71
- Y100.72
- Y100.73
- Y100.74
- Y100.75
- Y100.76

Dimensions (mm)

710x280x190

Code

Y105.70W



710x280 (mm)

Code

- Y100.51
- Y100.52
- Y100.53
- Y100.54
- Y100.55
- Y100.56

Dimensions (mm)

600x400x110

Code

Y105.62W

600x400x170

Code

Y105.68W



710x280x190

Code

Y106.70W



600x400x110

Code

Y106.62W

600x400x170

Code

Y106.68W



* Product code does not include the filters, for visual purposes only.



W SERIES/Reusable

Wide Body



Lid Closed
Base Closed

Outside - Inside Dimensions (mm)

Code

600x400x110 - 565x380x105

Y105.62W

600x400x170 - 565x380x165

Y105.68W

600x400x125 600x400x185
565x380x105 565x380x165

- Y110.62WB Y110.68WB
- Y120.62WB Y120.68WB
- Y130.62WB Y130.68WB
- Y140.62WB Y140.68WB
- Y150.62WB Y150.68WB
- Y160.62WB Y160.68WB



Base
Closed

Bio-Barrier

Valve

PTFE

- Y110.62WV Y110.68WV
- Y120.62WV Y120.68WV
- Y130.62WV Y130.68WV
- Y140.62WV Y140.68WV
- Y150.62WV Y150.68WV
- Y160.62WV Y160.68WV

- Y110.62WP Y110.68WP
- Y120.62WP Y120.68WP
- Y130.62WP Y130.68WP
- Y140.62WP Y140.68WP
- Y150.62WP Y150.68WP
- Y160.62WP Y160.68WP

Bio Barrier

Valve

PTFE

295x280 (mm)

Code

- Y100.51B
- Y100.52B
- Y100.53B
- Y100.54B
- Y100.55B
- Y100.56B

295x280 (mm)

Code

- Y100.51V
- Y100.52V
- Y100.53V
- Y100.54V
- Y100.55V
- Y100.56V

295x280 (mm)

Code

- Y100.51P
- Y100.52P
- Y100.53P
- Y100.54P
- Y100.55P
- Y100.56P



Lid
Reusable

W SERIES/Removal

Half Size (1/2)



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

295x280x105 260x260x85	295x280x155 260x260x135
---------------------------	----------------------------

- | | | |
|---|----------|----------|
| ● | Y315.10W | Y315.15W |
| ● | Y325.10W | Y325.15W |
| ● | Y335.10W | Y335.15W |
| ● | Y345.10W | Y345.15W |
| ● | Y355.10W | Y355.15W |
| ● | Y365.10W | Y365.15W |



Outside - Inside Dimensions (mm)

295x280x90 - 260x260x85
295x280x140 - 260x260x135

Code

Y305.10W
Y305.15W



Base
Closed

295x280 (mm)

Code

- | | |
|---|---------|
| ● | Y302.01 |
| ● | Y302.02 |
| ● | Y302.03 |
| ● | Y302.04 |
| ● | Y302.05 |
| ● | Y302.06 |



Lid
Closed



W SERIES/Removal

Full Size (1/1)

Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Outside - Inside Dimensions (mm)

Code

585x280x140 - 550x260x135

Y105.15W

585x280x155
550x260x135

- Y115.15W
- Y125.15W
- Y135.15W
- Y145.15W
- Y155.15W
- Y165.15W



Lid Closed
Base Closed



Base
Closed

585x280 (mm)

Code

- Y102.01
- Y102.02
- Y102.03
- Y102.04
- Y102.05
- Y102.06



Lid
Closed



SPEND DATE _____
STERIL DATE _____
EXP. DATE _____
USER/ALL. DATE _____
STER. NR. _____
STER. NO. _____
NAME _____

REF. 00 00 CE
1000000000

S SERIES CONTAINER SYSTEMS

Full Size (1/1)

54-55

Middle Size (3/4)

56-57

Half Size (1/2)

58-59

Wide Body

60-61

Removal

62-63

Full Size (1/1), Middle Size (3/4)



Lid Perforated / Base Closed



Lid Safety Lid / Base Perforated



Lid & Base Perforated



Lid Safety Lid / Base Closed



Lid & Base Closed



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	585x280x105 550x260x85	585x280x135 550x260x115	585x280x155 550x260x135	585x280x205 550x260x185	585x280x265 550x260x245
 Lid Perforated Base Closed	● Y110.10	● Y110.13	● Y110.15	● Y110.20	● Y110.26
	● Y120.10	● Y120.13	● Y120.15	● Y120.20	● Y120.26
	● Y130.10	● Y130.13	● Y130.15	● Y130.20	● Y130.26
	● Y140.10	● Y140.13	● Y140.15	● Y140.20	● Y140.26
	● Y150.10	● Y150.13	● Y150.15	● Y150.20	● Y150.26
	● Y160.10	● Y160.13	● Y160.15	● Y160.20	● Y160.26
 Lid Safety Lid Base Closed	● Y112.10	● Y112.13	● Y112.15	● Y112.20	● Y112.26
	● Y122.10	● Y122.13	● Y122.15	● Y122.20	● Y122.26
	● Y132.10	● Y132.13	● Y132.15	● Y132.20	● Y132.26
	● Y142.10	● Y142.13	● Y142.15	● Y142.20	● Y142.26
	● Y152.10	● Y152.13	● Y152.15	● Y152.20	● Y152.26
	● Y162.10	● Y162.13	● Y162.15	● Y162.20	● Y162.26
 Lid Perforated Base Perforated	● Y111.10	● Y111.13	● Y111.15	● Y111.20	● Y111.26
	● Y121.10	● Y121.13	● Y121.15	● Y121.20	● Y121.26
	● Y131.10	● Y131.13	● Y131.15	● Y131.20	● Y131.26
	● Y141.10	● Y141.13	● Y141.15	● Y141.20	● Y141.26
	● Y151.10	● Y151.13	● Y151.15	● Y151.20	● Y151.26
	● Y161.10	● Y161.13	● Y161.15	● Y161.20	● Y161.26
 Lid Safety Lid Base Perforated	● Y113.10	● Y113.13	● Y113.15	● Y113.20	● Y113.26
	● Y123.10	● Y123.13	● Y123.15	● Y123.20	● Y123.26
	● Y133.10	● Y133.13	● Y133.15	● Y133.20	● Y133.26
	● Y143.10	● Y143.13	● Y143.15	● Y143.20	● Y143.26
	● Y153.10	● Y153.13	● Y153.15	● Y153.20	● Y153.26
	● Y163.10	● Y163.13	● Y163.15	● Y163.20	● Y163.26



S SERIES

Full Size (1/1)

Outside - Inside Dimensions (mm)

Code



585x280x90 - 550x260x85	Y105.10
585x280x120 - 550x260x115	Y105.13
585x280x140 - 550x260x135	Y105.15
585x280x190 - 550x260x185	Y105.20
585x280x250 - 550x260x245	Y105.26



Base
Closed

585x280 (mm)

Code

	Y100.01
	Y100.02
	Y100.03
	Y100.04
	Y100.05
	Y100.06



Lid
Perforated

Outside - Inside Dimensions (mm)

Code







585x280x90 - 550x260x75	Y106.10
585x280x120 - 550x260x105	Y106.13
585x280x140 - 550x260x125	Y106.15
585x280x190 - 550x260x175	Y106.20
585x280x250 - 550x260x235	Y106.26



Base
Perforated *

585x280 (mm)

Code

	Y103.01B
	Y103.02B
	Y103.03B
	Y103.04B
	Y103.05B
	Y103.06B



Safety
Lid

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	465x280x105 430x260x85	465x280x135 430x260x115	465x280x155 430x260x135	465x280x205 430x260x185
 Lid Perforated Base Closed	● Y210.10	● Y210.13	● Y210.15	● Y210.20
	● Y220.10	● Y220.13	● Y220.15	● Y220.20
	● Y230.10	● Y230.13	● Y230.15	● Y230.20
	● Y240.10	● Y240.13	● Y240.15	● Y240.20
	● Y250.10	● Y250.13	● Y250.15	● Y250.20
	● Y260.10	● Y260.13	● Y260.15	● Y260.20
	 Lid Safety Lid Base Closed	● Y212.10	● Y212.13	● Y212.15
● Y222.10		● Y222.13	● Y222.15	● Y222.20
● Y232.10		● Y232.13	● Y232.15	● Y232.20
● Y242.10		● Y242.13	● Y242.15	● Y242.20
● Y252.10		● Y252.13	● Y252.15	● Y252.20
● Y262.10		● Y262.13	● Y262.15	● Y262.20
 Lid Perforated Base Perforated		● Y211.10	● Y211.13	● Y211.15
	● Y221.10	● Y221.13	● Y221.15	● Y221.20
	● Y231.10	● Y231.13	● Y231.15	● Y231.20
	● Y241.10	● Y241.13	● Y241.15	● Y241.20
	● Y251.10	● Y251.13	● Y251.15	● Y251.20
	● Y261.10	● Y261.13	● Y261.15	● Y261.20
	 Lid Safety Lid Base Perforated	● Y213.10	● Y213.13	● Y213.15
● Y223.10		● Y223.13	● Y223.15	● Y223.20
● Y233.10		● Y233.13	● Y233.15	● Y233.20
● Y243.10		● Y243.13	● Y243.15	● Y243.20
● Y253.10		● Y253.13	● Y253.15	● Y253.20
● Y263.10		● Y263.13	● Y263.15	● Y263.20



S SERIES

Middle Size (3/4)

Outside - Inside Dimensions (mm)

Code

465x280x90 - 430x260x85 Y205.10

465x280x120 - 430x260x115 Y205.13

465x280x140 - 430x260x135 Y205.15

465x280x190 - 430x260x185 Y205.20

465x280 (mm)

Code

● Y200.01

● Y200.02

● Y200.03

● Y200.04

● Y200.05

● Y200.06



Base
Closed



Lid
Perforated

Outside - Inside Dimensions (mm)

Code

465x280x90 - 430x260x75 Y206.10

465x280x120 - 430x260x105 Y206.13

465x280x140 - 430x260x125 Y206.15

465x280x190 - 430x260x175 Y206.20

465x280 (mm)

Code

● Y203.01B

● Y203.02B

● Y203.03B

● Y203.04B

● Y203.05B

● Y203.06B



Base
Perforated *



Safety
Lid

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

	295x280x105 260x260x85	295x280x135 260x260x115	295x280x155 260x260x135	295x280x205 260x260x185	295x280x265 260x260x245
 Lid Perforated Base Closed	● Y310.10	● Y310.13	● Y310.15	● Y310.20	● Y310.26
	● Y320.10	● Y320.13	● Y320.15	● Y320.20	● Y320.26
	● Y330.10	● Y330.13	● Y330.15	● Y330.20	● Y330.26
	● Y340.10	● Y340.13	● Y340.15	● Y340.20	● Y340.26
	● Y350.10	● Y350.13	● Y350.15	● Y350.20	● Y350.26
	● Y360.10	● Y360.13	● Y360.15	● Y360.20	● Y360.26
 Lid Safety Lid Base Closed	● Y312.10	● Y312.13	● Y312.15	● Y312.20	● Y312.26
	● Y322.10	● Y322.13	● Y322.15	● Y322.20	● Y322.26
	● Y332.10	● Y332.13	● Y332.15	● Y332.20	● Y332.26
	● Y342.10	● Y342.13	● Y342.15	● Y342.20	● Y342.26
	● Y352.10	● Y352.13	● Y352.15	● Y352.20	● Y352.26
	● Y362.10	● Y362.13	● Y362.15	● Y362.20	● Y362.26
 Lid Perforated Base Perforated	● Y311.10	● Y311.13	● Y311.15	● Y311.20	● Y311.26
	● Y321.10	● Y321.13	● Y321.15	● Y321.20	● Y321.26
	● Y331.10	● Y331.13	● Y331.15	● Y331.20	● Y331.26
	● Y341.10	● Y341.13	● Y341.15	● Y341.20	● Y341.26
	● Y351.10	● Y351.13	● Y351.15	● Y351.20	● Y351.26
	● Y361.10	● Y361.13	● Y361.15	● Y361.20	● Y361.26
 Lid Safety Lid Base Perforated	● Y313.10	● Y313.13	● Y313.15	● Y313.20	● Y313.26
	● Y323.10	● Y323.13	● Y323.15	● Y323.20	● Y323.26
	● Y333.10	● Y333.13	● Y333.15	● Y333.20	● Y333.26
	● Y343.10	● Y343.13	● Y343.15	● Y343.20	● Y343.26
	● Y353.10	● Y353.13	● Y353.15	● Y353.20	● Y353.26
	● Y363.10	● Y363.13	● Y363.15	● Y363.20	● Y363.26



S SERIES

Half Size (1/2)

Outside - Inside Dimensions (mm)

Code

295x280x90 - 260x260x85	Y305.10
295x280x120 - 260x260x115	Y305.13
295x280x140 - 260x260x135	Y305.15
295x280x190 - 260x260x185	Y305.20
295x280x250 - 260x260x245	Y305.26

295x280 (mm)

Code

	Y300.01
	Y300.02
	Y300.03
	Y300.04
	Y300.05
	Y300.06



Base
Closed



Lid
Perforated

Outside - Inside Dimensions (mm)

Code

295x280x90 - 260x260x75	Y306.10
295x280x120 - 260x260x105	Y306.13
295x280x140 - 260x260x125	Y306.15
295x280x190 - 260x260x175	Y306.20
295x280x250 - 260x260x235	Y306.26

295x280 (mm)

Code

	Y303.01B
	Y303.02B
	Y303.03B
	Y303.04B
	Y303.05B
	Y303.06B



Base
Perforated *



Safety
Lid

* Product code does not include the filters, for visual purposes only.



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Perforated
Base Closed

	600x400x125 565x380x105	600x400x185 565x380x165
--	----------------------------	----------------------------

●	Y110.62	Y110.68
●	Y120.62	Y120.68
●	Y130.62	Y130.68
●	Y140.62	Y140.68
●	Y150.62	Y150.68
●	Y160.62	Y160.68



Lid Perforated
Base Perforated

	600x400x125 565x380x95	600x400x185 565x380x155
--	---------------------------	----------------------------

●	Y111.62	Y111.68
●	Y121.62	Y121.68
●	Y131.62	Y131.68
●	Y141.62	Y141.68
●	Y151.62	Y151.68
●	Y161.62	Y161.68



S SERIES

Wide Body

Outside - Inside Dimensions (mm)

Code

600x400x110 - 565x380x105

Y105.62

600x400x170 - 565x380x165

Y105.68

600x400 (mm)

Code

● Y100.51

● Y100.52

● Y100.53


● Y100.54

● Y100.55

● Y100.56



Base
Closed



Lid
Perforated

Outside - Inside Dimensions (mm)

Code

600x400x110 - 565x380x95

Y106.62

600x400x170 - 565x380x155

Y106.68



Base
Perforated *

* Product code does not include the filters, for visual purposes only.

S SERIES/Removal

Half Size (1/2)



Types

Outside Dimensions (mm)
Inside Dimensions (mm)

295x280x105 260x260x85	295x280x155 260x260x135
---------------------------	----------------------------

- | | | |
|---|---------|---------|
| ● | Y315.10 | Y315.15 |
| ● | Y325.10 | Y325.15 |
| ● | Y335.10 | Y335.15 |
| ● | Y345.10 | Y345.15 |
| ● | Y355.10 | Y355.15 |
| ● | Y365.10 | Y365.15 |



Lid Closed
Base Closed

Outside - Inside Dimensions (mm)

295x280x90 - 260x260x85

295x280x140 - 260x260x135

Code

Y305.10

Y305.15



Base
Closed

295x280 (mm)

Code

- | | |
|---|---------|
| ● | Y302.01 |
| ● | Y302.02 |
| ● | Y302.03 |
| ● | Y302.04 |
| ● | Y302.05 |
| ● | Y302.06 |



Lid
Closed



S SERIES/Removal

Full Size (1/1)

Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Outside - Inside Dimensions (mm)

Code

585x280x140 - 550x260x135

Y105.15

585x280x155
550x260x135

- Y115.15
- Y125.15
- Y135.15
- Y145.15
- Y155.15
- Y165.15



Lid Closed
Base Closed



Base
Closed

585x280 (mm)

Code

- Y102.01
- Y102.02
- Y102.03
- Y102.04
- Y102.05
- Y102.06



Lid
Closed



A SERIES CONTAINER SYSTEMS

Flat & Mini Model

66-67

Dental & Mini Dental Model

68-69

Reusable (Dental & Mini)

70-73



Lid Perforated / Base Closed



Lid & Base Perforated

A SERIES

Flat Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Color	300x280x55 270x270x45	300x280x85 270x270x75
Grey	Y310.05A	Y310.08A
Yellow	Y320.05A	Y320.08A
Red	Y330.05A	Y330.08A
Blue	Y340.05A	Y340.08A
Green	Y350.05A	Y350.08A
Black	Y360.05A	Y360.08A

Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Color	300x280x85 270x270x75
Grey	Y311.08A
Yellow	Y321.08A
Red	Y331.08A
Blue	Y341.08A
Green	Y351.08A
Black	Y361.08A



Base
Closed

Outside - Inside Dimensions (mm)

Code

300x280x45 - 270x270x45	Y305.05A
300x280x75 - 270x270x75	Y305.08A



Base
Perforated *

Outside - Inside Dimensions (mm)

Code

300x280x75 - 270x270x65	Y306.08A
-------------------------	----------

Lid
Perforated



300x280 (mm)

Code

Grey	Y304.01A
Yellow	Y304.02A
Red	Y304.03A
Blue	Y304.04A
Green	Y304.05A
Black	Y304.06A

A SERIES

Mini Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Perforated
Base Closed

	310x140x45 280x130x40	310x140x75 280x130x70	310x140x105 280x130x100
●	Y410.04A	Y410.07A	Y410.10A
●	Y420.04A	Y420.07A	Y420.10A
●	Y430.04A	Y430.07A	Y430.10A
●	Y440.04A	Y440.07A	Y440.10A
●	Y450.04A	Y450.07A	Y450.10A
●	Y460.04A	Y460.07A	Y460.10A



Lid Perforated
Base Perforated

●	Y411.04A	Y411.07A	Y411.10A
●	Y421.04A	Y421.07A	Y421.10A
●	Y431.04A	Y431.07A	Y431.10A
●	Y441.04A	Y441.07A	Y441.10A
●	Y451.04A	Y451.07A	Y451.10A
●	Y461.04A	Y461.07A	Y461.10A



Base
Closed

Outside - Inside Dimensions (mm)

Code

310x130x40 - 280x130x40	Y405.04A
310x130x70 - 280x130x70	Y405.07A
310x130x100 - 280x130x100	Y405.10A



Base
Perforated *

Outside - Inside Dimensions (mm)

Code


310x130x40 - 280x130x35	Y406.04A
310x130x70 - 280x130x65	Y406.07A
310x130x100 - 280x130x95	Y406.10A

310x140 (mm)

Code

●	Y400.01A
●	Y400.02A
●	Y400.03A
●	Y400.04A
●	Y400.05A
●	Y400.06A

Lid
Perforated



* Product code does not include the filters, for visual purposes only.

A SERIES

Dental Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



	310x190x45 280x180x40	310x190x65 280x180x60	310x190x85 280x180x80	310x190x105 280x180x100	310x190x135 280x180x130
●	Y510.04A	Y510.06A	Y510.08A	Y510.10A	Y510.13A
●	Y520.04A	Y520.06A	Y520.08A	Y520.10A	Y520.13A
●	Y530.04A	Y530.06A	Y530.08A	Y530.10A	Y530.13A
●	Y540.04A	Y540.06A	Y540.08A	Y540.10A	Y540.13A
●	Y550.04A	Y550.06A	Y550.08A	Y550.10A	Y550.13A
●	Y560.04A	Y560.06A	Y560.08A	Y560.10A	Y560.13A



	310x190x45 280x180x35	310x190x65 280x180x55	310x190x85 280x180x75	310x190x105 280x180x95	310x190x135 280x180x125
●	Y511.04A	Y511.06A	Y511.08A	Y511.10A	Y511.13A
●	Y521.04A	Y521.06A	Y521.08A	Y521.10A	Y521.13A
●	Y531.04A	Y531.06A	Y531.08A	Y531.10A	Y531.13A
●	Y541.04A	Y541.06A	Y541.08A	Y541.10A	Y541.13A
●	Y551.04A	Y551.06A	Y551.08A	Y551.10A	Y551.13A
●	Y561.04A	Y561.06A	Y561.08A	Y561.10A	Y561.13A



Base
Closed



Base
Perforated *

Outside - Inside Dimensions (mm)	Code
310x190x40 - 280x180x40	Y505.04A
310x190x60 - 280x180x60	Y505.06A
310x190x80 - 280x180x80	Y505.08A
310x190x100 - 280x180x100	Y505.10A
310x190x130 - 280x180x130	Y505.13A

310x190x40 - 280x180x35	Y506.04A
310x190x60 - 280x180x55	Y506.06A
310x190x80 - 280x180x75	Y506.08A
310x190x100 - 280x180x95	Y506.10A
310x190x130 - 280x180x125	Y506.13A

Lid
Perforated



310x190 (mm)	Code
●	Y500.01A
●	Y500.02A
●	Y500.03A
●	Y500.04A
●	Y500.05A
●	Y500.06A

A SERIES

Mini Dental Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



	210x155x55 180x145x50	210x155x65 180x145x60
●	Y515.05A	Y515.06A
●	Y525.05A	Y525.06A
●	Y535.05A	Y535.06A
●	Y545.05A	Y545.06A
●	Y555.05A	Y555.06A
●	Y565.05A	Y565.06A



Base
Closed

Outside - Inside Dimensions (mm)


Code

210x155x50 - 180x145x50	Y508.05A
210x155x60 - 180x145x60	Y508.06A

210x155 (mm)

Code

Lid
Perforated



●	Y501.01A
●	Y501.02A
●	Y501.03A
●	Y501.04A
●	Y501.05A
●	Y501.06A

* Product code does not include the filters, for visual purposes only.

Bio-Barrier

Valve

PTFE



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Closed
Base Closed



Lid Closed
Base Closed



Lid Closed
Base Closed

	310x190x90 280x180x80	310x190x110 280x180x100	310x190x140 280x180x130
● Y510.08AB	Y510.10AB	Y510.13AB	
● Y520.08AB	Y520.10AB	Y520.13AB	
● Y530.08AB	Y530.10AB	Y530.13AB	
● Y540.08AB	Y540.10AB	Y540.13AB	
● Y550.08AB	Y550.10AB	Y550.13AB	
● Y560.08AB	Y560.10AB	Y560.13AB	

● Y510.08AV	Y510.10AV	Y510.13AV
● Y520.08AV	Y520.10AV	Y520.13AV
● Y530.08AV	Y530.10AV	Y530.13AV
● Y540.08AV	Y540.10AV	Y540.13AV
● Y550.08AV	Y550.10AV	Y550.13AV
● Y560.08AV	Y560.10AV	Y560.13AV

● Y510.08AP	Y510.10AP	Y510.13AP
● Y520.08AP	Y520.10AP	Y520.13AP
● Y530.08AP	Y530.10AP	Y530.13AP
● Y540.08AP	Y540.10AP	Y540.13AP
● Y550.08AP	Y550.10AP	Y550.13AP
● Y560.08AP	Y560.10AP	Y560.13AP

Bio-Barrier

Valve

PTFE

A SERIES/Reusable

Dental Model



Outside - Inside Dimensions (mm)

Code

310x190x80 - 280x180x80	Y505.08A
310x190x100 - 280x180x100	Y505.10A
310x190x130 - 280x180x130	Y505.13A



Base
Closed

Bio-Barrier

310x190 (mm)

Code

- Y500.01AB
- Y500.02AB
- Y500.03AB
- Y500.04AB
- Y500.05AB
- Y500.06AB

Valve

310x190 (mm)

Code

- Y500.01AV
- Y500.02AV
- Y500.03AV
- Y500.04AV
- Y500.05AV
- Y500.06AV

PTFE

310x190 (mm)

Code

- Y500.01AP
- Y500.02AP
- Y500.03AP
- Y500.04AP
- Y500.05AP
- Y500.06AP



Lid

Bio-Barrier

Valve

PTFE



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



	310x140x45 280x130x40	310x140x75 280x130x70	310x140x105 280x130x100
●	Y410.04AB	Y410.07AB	Y410.10AB
●	Y420.04AB	Y420.07AB	Y420.10AB
●	Y430.04AB	Y430.07AB	Y430.10AB
●	Y440.04AB	Y440.07AB	Y440.10AB
●	Y450.04AB	Y450.07AB	Y450.10AB
●	Y460.04AB	Y460.07AB	Y460.10AB

●	Y410.04AV	Y410.07AV	Y410.10AV
●	Y420.04AV	Y420.07AV	Y420.10AV
●	Y430.04AV	Y430.07AV	Y430.10AV
●	Y440.04AV	Y440.07AV	Y440.10AV
●	Y450.04AV	Y450.07AV	Y450.10AV
●	Y460.04AV	Y460.07AV	Y460.10AV

●	Y410.04AP	Y410.07AP	Y410.10AP
●	Y420.04AP	Y420.07AP	Y420.10AP
●	Y430.04AP	Y430.07AP	Y430.10AP
●	Y440.04AP	Y440.07AP	Y440.10AP
●	Y450.04AP	Y450.07AP	Y450.10AP
●	Y460.04AP	Y460.07AP	Y460.10AP

Bio-Barrier

Valve

PTFE

A SERIES/Reusable

Mini Model



Outside - Inside Dimensions (mm)

Code

310x130x40 - 280x130x40	Y405.04A
310x130x70 - 280x130x70	Y405.07A
310x190x130 - 280x180x130	Y405.10A



Base
Closed

Bio-Barrier

310x140 (mm)

Code

- Y400.01AB
- Y400.02AB
- Y400.03AB
- Y400.04AB
- Y400.05AB
- Y400.06AB

Valve

310x140 (mm)

Code

- Y400.01AV
- Y400.02AV
- Y400.03AV
- Y400.04AV
- Y400.05AV
- Y400.06AV

PTFE

310x140 (mm)

Code

- Y400.01AP
- Y400.02AP
- Y400.03AP
- Y400.04AP
- Y400.05AP
- Y400.06AP



Lid



SPECIFIC CONTAINERS

Implant & Scopy Model

76-77



Lid & Base Perforated



SPECIFIC

Implant Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Lid Perforated
Base Perforated

310x140x65
310x135x65

500x155x75
500x150x75

●	Y610.06	Y612.07
●	Y620.06	Y622.07
●	Y630.06	Y632.07
●	Y640.06	Y642.07
●	Y650.06	Y652.07
●	Y660.06	Y662.07



SPECIFIC

Scopy Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)




Lid Perforated
Base Perforated


250x60x50
250x55x45

Y600.01

450x70x70
450x65x65

Y600.02





PERFORATED TRAYS

Standard Model

80

Optic, Mini & Dental Model

81

Micro, Small, Large Model

82-83



Mesh Dimensions 4x4 mm
Range of Mesh 1 mm



Suitable for effortless adaptation of the components



Easy handling and carrying even when the lid is closed

PERFORATED TRAYS

Standard Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Polymer Foot
Y835.00

Half Size Middle Size DIN Size Full Size Long Wide

Y380.03 Y280.03 Y180.03 Y181.03 Y182.03 Y183.03
242x252x25 405x252x25 484x252x25 539x252x25 655x252x25 530x330x25

Y380.05 Y280.05 Y180.05 Y181.05 Y182.05 Y183.05
242x252x45 405x252x45 484x252x45 539x252x45 655x252x45 530x330x45

Y380.07 Y280.07 Y180.07 Y181.07 Y182.07 Y183.07
242x252x65 405x252x65 484x252x65 539x252x65 655x252x65 530x330x65

Y380.10 Y280.10 Y180.10 Y181.10 Y182.10 Y183.10
242x252x95 405x252x95 484x252x95 539x252x95 655x252x95 530x330x95



Base

Y380.03L Y280.03L Y180.03L Y181.03L Y182.03L Y183.03L
246x256x25 409x256x25 488x256x25 543x256x25 655x252x25 530x330x25

Y380.05L Y280.05L Y180.05L Y181.05L Y182.05L Y183.05L
246x256x45 409x256x45 488x256x45 543x256x45 655x252x45 530x330x45

Y380.07L Y280.07L Y180.07L Y181.07L Y182.07L Y183.07L
246x256x65 409x256x65 488x256x65 543x256x65 655x252x65 530x330x65

Y380.10L Y280.10L Y180.10L Y181.10L Y182.10L Y183.10L
246x256x95 409x256x95 488x256x95 543x256x95 655x252x95 530x330x95



Base & Lid

Y380.03F Y280.03F Y180.03F Y181.03F Y182.03F Y183.03F
242x252x40 405x252x40 484x252x40 539x252x40 655x252x40 530x330x40

Y380.05F Y280.05F Y180.05F Y181.05F Y182.05F Y183.05F
242x252x60 405x252x60 484x252x60 539x252x60 655x252x60 530x330x60

Y380.07F Y280.07F Y180.07F Y181.07F Y182.07F Y183.07F
242x252x80 405x252x80 484x252x80 539x252x80 655x252x80 530x330x80

Y380.10F Y280.10F Y180.10F Y181.10F Y182.10F Y183.10F
242x252x110 405x252x110 484x252x110 539x252x110 655x252x110 530x330x110



Base (With Feet)

Y380.03FL Y280.03FL Y180.03FL Y181.03FL Y182.03FL Y183.03FL
246x256x40 409x256x40 488x256x40 543x256x40 655x252x40 530x330x40

Y380.05FL Y280.05FL Y180.05FL Y181.05FL Y182.05FL Y183.05FL
246x256x60 409x256x60 488x256x60 543x256x60 655x252x60 530x330x60

Y380.07FL Y280.07FL Y180.07FL Y181.07FL Y182.07FL Y183.07FL
246x256x80 409x256x80 488x256x80 543x256x80 655x252x80 530x330x80

Y380.10FL Y280.10FL Y180.10FL Y181.10FL Y182.10FL Y183.10FL
246x256x110 409x256x110 488x256x110 543x256x110 655x252x110 530x330x110



Base & Lid
(With Feet)

Y380.01 Y280.01 Y180.01 Y181.01 Y182.01 Y183.01
246x256x15 409x256x15 488x256x15 543x256x15 659x256x15 534x334x15



Lid

PERFORATED TRAYS

Optic Model

Types

Outside Dimensions (mm)
Inside Dimensions (mm)

Single Scope



Base & Lid

Y695.00
272x83x44

Y696.00
452x83x44

Double Scope



Base & Lid

Y695.03
272x103x44

Y696.03
452x103x44



PERFORATED TRAYS

Mini & Dental Model

Mini Model



Base & Lid

Y480.04
270x123x45

Y480.06
270x123x65


Dental Model



Base & Lid

Y580.05
270x170x50

Y580.10
270x170x100





PERFORATED TRAYS WITH HINGES

Micro & Small Trays

Code	Outside Dimensions (mm)	Lock System	<ul style="list-style-type: none"> • Embossed lock system • 2x2mm perforated bottom and lid
Y580.20	40x40x25	Embossed lock system	
Y580.21	60x60x25	Embossed lock system	
Y580.22	60x60x40	Embossed lock system	
Y580.23	80x80x25	Embossed lock system	
Y580.24	80x80x40	Embossed lock system	
Y580.25	80x40x40	Embossed lock system	

Code	Outside Dimensions (mm)	Lock System	<ul style="list-style-type: none"> • Sliding flat lock system • 2x2mm perforated bottom and lid
Y580.30	100x30x25	Push lock system	
Y580.31	160x30x25	Push lock system	
Y580.32	200x30x25	Push lock system	
Y580.33	240x40x40	Push lock system	
Y580.34	300x40x40	Push lock system	
Y580.35	450x40x40	Push lock system	
Y581.20	115x90x45	Sliding flat lock system	
Y581.21	115x115x25	Sliding flat lock system	
Y581.22	145x150x50	Sliding flat lock system	
Y581.23	170x135x35	Sliding flat lock system	
Y581.24	210x145x25	Sliding flat lock system	
Y581.25	210x145x45	Sliding flat lock system	
Y581.26	240x240x45	Sliding flat lock system	
Y581.27	275x175x35	Sliding flat lock system	
Y581.28	280x170x60	Sliding flat lock system	





Large Trays

Small Trays

Code	Outside Dimensions (mm)	Lock System	<ul style="list-style-type: none"> • Sliding flat lock system • 4x4mm perforated bottom and lid
Y581.40	80x80x40	Push lock system	
Y581.41	100x80x30	Sliding flat lock system	
Y581.42	130x115x40	Sliding flat lock system	
Y581.43	130x115x60	Sliding flat lock system	
Y581.44	195x70x40	Sliding flat lock system	
Y581.45	225x130x40	Sliding flat lock system	
Y581.46	250x115x25	Sliding flat lock system	
Y581.47	250x115x40	Sliding flat lock system	
Y581.48	250x115x60	Sliding flat lock system	
Y581.49	480x115x50	Sliding flat lock system	
Y581.50	270x123x45	Sliding flat lock system	
Y581.51	270x123x65	Sliding flat lock system	
Y581.52	270x170x50	Sliding flat lock system	
Y581.53	270x170x100	Sliding flat lock system	

*Dimensions: width x length x height (with tolerances up to ±5mm)



HYBRID BASKETS

Standard Model

86-88

Specific Model

89



Base Intermediate Crimp
Mesh Dimensions 5x5 mm
Wire Diameter 1 mm
Sides Perforated sheet
Perforation Diameter 3 mm




Base Plain Weave
Mesh Dimensions 4x4 mm
Wire Diameter 1 mm
Sides Perforated sheet
Perforation Diameter 3 mm



Base Welded Wire Mesh
Mesh Dimensions 6x6 mm
Wire Diameter 1.2 mm
Sides Perforated sheet
Perforation Diameter 3 mm

STANDARD

Intermediate Crimp



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base



Base & Lid




Lid

	Half Size	Middle Size	DIN Size	Full Size
	Y396.05A 245x255x50	Y296.05A 405x255x50	Y196.05A 485x255x50	Y197.05A 540x255x50
	Y396.06A 245x255x60	Y296.06A 405x255x60	Y196.06A 485x255x60	Y197.06A 540x255x60
	Y396.07A 245x255x70	Y296.07A 405x255x70	Y196.07A 485x255x70	Y197.07A 540x255x70
	Y396.10A 245x255x100	Y296.10A 405x255x100	Y196.10A 485x255x100	Y197.10A 540x255x100
	Y396.05AL 245x255x50	Y296.05AL 405x255x50	Y196.05AL 485x255x50	Y197.05AL 540x255x50
	Y396.06AL 245x255x60	Y296.06AL 405x255x60	Y196.06AL 485x255x60	Y197.06AL 540x255x60
	Y396.07AL 245x255x70	Y296.07AL 405x255x70	Y196.07AL 485x255x70	Y197.07AL 540x255x70
	Y396.10AL 245x255x100	Y296.10AL 405x255x100	Y196.10AL 485x255x100	Y197.10AL 540x255x100
	Y390.01 215x240	Y290.01 375x240	Y190.01 455x240	Y191.01 510x240

Product Details


Base & Lid
Intermediate Crimp



Side Plate
Perforated Sheet

STANDARD

Plain Weave



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base

Half Size	Middle Size	DIN Size	Full Size
Y396.05B 245x255x50	Y296.05B 405x255x50	Y196.05B 485x255x50	Y197.05B 540x255x50
Y396.06B 245x255x60	Y296.06B 405x255x60	Y196.06B 485x255x60	Y197.06B 540x255x60
Y396.07B 245x255x70	Y296.07B 405x255x70	Y196.07B 485x255x70	Y197.07B 540x255x70
Y396.10B 245x255x100	Y296.10B 405x255x100	Y196.10B 485x255x100	Y197.10B 540x255x100



Base & Lid

Y396.05BL 245x255x50	Y296.05BL 405x255x50	Y196.05BL 485x255x50	Y197.05BL 540x255x50
Y396.06BL 245x255x60	Y296.06BL 405x255x60	Y196.06BL 485x255x60	Y197.06BL 540x255x60
Y396.07BL 245x255x70	Y296.07BL 405x255x70	Y196.07BL 485x255x70	Y197.07BL 540x255x70
Y396.10BL 245x255x100	Y296.10BL 405x255x100	Y196.10BL 485x255x100	Y197.10BL 540x255x100




Lid

Y392.01 215x240	Y292.01 375x240	Y192.01 455x240	Y193.01 510x240
--------------------	--------------------	--------------------	--------------------

Product Details


Base & Lid
Plain Weave



Side Plate
Perforated Sheet

STANDARD

Welded Wire Mesh



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base

Half Size	Middle Size	DIN Size	Full Size
Y396.05C 245x255x50	Y296.05C 405x255x50	Y196.05C 485x255x50	Y197.05C 540x255x50
Y396.06C 245x255x60	Y296.06C 405x255x60	Y196.06C 485x255x60	Y197.06C 540x255x60
Y396.07C 245x255x70	Y296.07C 405x255x70	Y196.07C 485x255x70	Y197.07C 540x255x70
Y396.10C 245x255x100	Y296.10C 405x255x100	Y196.10C 485x255x100	Y197.10C 540x255x100



Base & Lid

Y396.05CL 245x255x50	Y296.05CL 405x255x50	Y196.05CL 485x255x50	Y197.05CL 540x255x50
Y396.06CL 245x255x60	Y296.06CL 405x255x60	Y196.06CL 485x255x60	Y197.06CL 540x255x60
Y396.07CL 245x255x70	Y296.07CL 405x255x70	Y196.07CL 485x255x70	Y197.07CL 540x255x70
Y396.10CL 245x255x100	Y296.10CL 405x255x100	Y196.10CL 485x255x100	Y197.10CL 540x255x100




Lid

Y394.01 215x240	Y294.01 375x240	Y194.01 455x240	Y195.01 510x240
--------------------	--------------------	--------------------	--------------------

Product Details


Base & Lid
Welded Wire Mesh



Side Plate
Perforated Sheet

SPECIFIC

Plain Weave



Types

Outside Dimensions (mm)
Inside Dimensions (mm)




Base & Lid

Type 1	Type 2	Type 3
Y590.01 125x110x50	Y398.03 270x170x30	Y297.04 340x250x40
Y590.03 125x110x70	Y398.05 270x170x50	Y298.04 440x250x40
Y590.04 195x70x40	Y398.07 270x170x70	Y298.08 440x250x80
Y590.05 220x125x40	Y398.10 270x170x100	Y299.08 460x320x80
Y590.06 265x120x30		
Y590.07 265x120x40		
Y590.08 265x120x50		
Y590.10 265x120x70		

Product Details

Base & Lid
Plain Weave



Side Plate
Perforated Sheet



WIRE BASKETS

Standard Model

92-96

Wide Body

97



Intermediate Crimp

Mesh Dimensions 5x5 mm

Range of Mesh 1 mm



Plain Weave

Mesh Dimensions 4x4 mm


Range of Mesh 1 mm



Welded Wire Mesh

Mesh Dimensions 6x6 mm


Range of Mesh 1.2 mm



Fine Mesh


Mesh Dimensions 2x2 mm

Range of Mesh 1 mm



STANDARD

Intermediate Crimp



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base




Lid

Half Size	Middle Size	DIN Size	Full Size
Y390.03 245x255x30	Y290.03 405x255x30	Y190.03 485x255x30	Y191.03 540x255x30
Y390.05 245x255x50	Y290.05 405x255x50	Y190.05 485x255x50	Y191.05 540x255x50
Y390.07 245x255x70	Y290.07 405x255x70	Y190.07 485x255x70	Y191.07 540x255x70
Y390.10 245x255x100	Y290.10 405x255x100	Y190.10 485x255x100	Y191.10 540x255x100

Y390.01 215x240	Y290.01 375x240	Y190.01 455x240	Y191.01 510x240
--------------------	--------------------	--------------------	--------------------


Product Details

Base & Lid
Intermediate Crimp



STANDARD

Plain Weave



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base



Lid

Half Size	Middle Size	DIN Size	Full Size
Y392.03 245x255x30	Y292.03 405x255x30	Y192.03 485x255x30	Y193.03 540x255x30
Y392.05 245x255x50	Y292.05 405x255x50	Y192.05 485x255x50	Y193.05 540x255x50
Y392.07 245x255x70	Y292.07 405x255x70	Y192.07 485x255x70	Y193.07 540x255x70
Y392.10 245x255x100	Y292.10 405x255x100	Y192.10 485x255x100	Y193.10 540x255x100

Y392.01 215x240	Y292.01 375x240	Y192.01 455x240	Y193.01 510x240
--------------------	--------------------	--------------------	--------------------


Product Details

Base & Lid
Plain Weave



STANDARD

Welded Wire Mesh



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base



Lid

Half Size	Middle Size	DIN Size	Full Size
Y394.03 245x255x30	Y294.03 405x255x30	Y194.03 485x255x30	Y195.03 540x255x30
Y394.05 245x255x50	Y294.05 405x255x50	Y194.05 485x255x50	Y195.05 540x255x50
Y394.07 245x255x70	Y294.07 405x255x70	Y194.07 485x255x70	Y195.07 540x255x70
Y394.10 245x255x100	Y294.10 405x255x100	Y194.10 485x255x100	Y195.10 540x255x100


..... Product Details

Base & Lid
Welded Wire Mesh



STANDARD

Optic Wire Baskets



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base & Lid

Single Scope

Y690.02
290x80x55

Y690.04
460x80x55

Y690.06
670x80x55

Double Scope

Y690.03
290x80x55

Y690.05
460x80x55



Silicone Holder
(Type 1)



Base & Lid

Single Scope

Y691.02
290x80x55

Y691.04
460x80x55

Double Scope

Y691.03
290x80x55


Y691.05
460x80x55



Silicone Holder
(Type 2)

STANDARD

Mini & Dental Model



Types

Outside Dimensions (mm)
Inside Dimensions (mm)



Base

Mini Model
(Intermediate Crimp)

Y490.05
265x120x45

Mini Model
(Plain Weave)

Y492.05
265x120x45




Base

Dental Model
(Intermediate Crimp)

Y590.12
270x170x45

Dental Model
(Plain Weave)

Y590.13
270x170x45



Fine Mesh Baskets



Base & Lid


Y591.01
80x80x40

Y591.03
145x150x50


Y591.07
220x140x50

Y591.08
275x175x35

Y591.09
280x170x60



Base & Lid
Fine Wire Mesh



Wide Body Wire Baskets

Types

Outside Dimensions (mm)
Inside Dimensions (mm)


Wide Body
(Intermediate Crimp)



Base

Y190.55
470x337x51

Y191.60
533x337x101




Surgical Laundry Baskets



Base

Y693.02
605x405x150

Y693.04
605x405x300





COMPONENTS

Container Components

100-101

Tray & Basket Components

102-107






Filter Retainer
(For W/S Series)

Y809.00



Filter Retainer
(For M Series)

Y808.00



Filter Retainer
(For Mini & Dental Containers)

Y805.11



Filter Retainer
(For Mini Dental Container)

Y805.20



Security Seal

Y819.00
100 Pcs.



Security Seal
(Service)

Y819.01
100 Pcs.

COMPONENTS

Container Components



Paper Filter
(For 1/1, 3/4, 1/2 Size)

Y800.00
100 Pcs.



Paper Filter
(For Mini & Dental Containers)

Y802.00
100 Pcs.



Paper Filter
(For Mini Dental Container)

Y803.00
100 Pcs.



PTFE Filter
(For 1/1, 3/4, 1/2 Size)

Y800.10



PTFE Filter
(For Mini & Dental Containers)

Y802.10



PTFE Filter
(For Mini Dental Container)

Y803.10




Identification Labels

- Y820.11
- Y820.12
- Y820.13
- Y820.14
- Y820.15
- Y820.16



Identification Labels
(For M Series)

- Y820.11M
- Y820.12M
- Y820.13M
- Y820.14M
- Y820.15M
- Y820.16M





Indicators
(Paper)

- Y810.00 100 Pcs.
- Y810.01 100 Pcs.
- Y812.00 100 Pcs.



Silicone Mats

Code	Outside Dimensions
Y850.11	270x125 mm
Y852.01	225x235 mm
Y852.11	375x235 mm
Y852.21	450x235 mm (DIN)
Y852.31	500x235 mm



Silicone Mat
(Type 1 - Blue)

Code	Outside Dimensions
Y853.11	260x125 mm
Y853.21	225x235 mm
Y853.31	370x235 mm
Y853.51	500x235 mm





Silicone Mat
(Type 2 - Blue)

COMPONENTS

HOLDERS & ENDOSCOPIC RACKS


Y843.06
Endoscopic Rack
485 x 235 x 160 mm



Silicone Holder
(For Optic Wire Baskets)

- 40x17x6,5 mm Y858.03
- 70x17x6,5 mm Y858.04

Complete Y858.00



Silicone Holder
(For Adjustable Racks)

- 54x17x6,5 mm Y859.04
- 68x17x6,5 mm Y859.06
- 80,5x17x6,5 mm Y859.07

Complete Y859.00



Silicone Holder
(For Adjustable Racks)


- 226x17 mm Y857.01
- 226x17 mm Y857.03

230x220x40mm Complete Y843.04

- 1 pcs Y857.01
- 2 pcs Y857.03




*Dimensions: length x width x height




KERRISON Rack
(For 8 Kerrisons)

240x230x170 mm Y843.08
(Suitable for 1/2 Containers)



KERRISON Rack
(For 17 Kerrisons)

400x245x170 mm Y843.09
(Suitable for 3/4 Containers)



Y857.80
17x25x40 mm



Y857.70
17x100x40 mm



Y857.71
17x225x40 mm



Y857.30
17x25x40 mm



Y857.10
17x100x40 mm



Y857.20
17x225x40 mm



Y857.83
17x25x40 mm



Y857.73
17x100x40 mm



Y857.74
17x225x40 mm



Y 857.33
17x25x40 mm



Y857.13
17x100x40 mm



Y857.23
17x225x40 mm



Y857.85
17x25x40 mm



Y857.75
17x100x40 mm



Y857.76
17x225x40 mm



Y857.35
17x25x40 mm



Y857.15
17x100x40 mm



Y857.25
17x225x40 mm



Y857.70P
12x25x3 mm



Y857.71P
12x100x3 mm



Y857.72P
12x225x3 mm



COMPONENTS

Silicone Holders



Y857.40
17x25x37mm
Ø12mm



Y857.41
17x25x37 mm
Ø14mm



Y857.90
17x25x37 mm
Ø12mm




Y857.91
17x25x37 mm
Ø14mm




Y857.42
17x25x30 mm
Ø12mm



Y857.43
17x25x30 mm
Ø14mm



Y857.92
17x25x30 mm
Ø12mm




Y857.93
17x25x30 mm
Ø14mm




Y857.44
17x24x21 mm
Ø5mm




Y857.45
17x24x21 mm
Ø10mm



Y857.94
17x24x21 mm
Ø5mm



Y857.95
17x24x21 mm
Ø10mm





Y857.47
17x225x21 mm
Ø10mm - Ø5mm

It can be used with
endoscopic rack "Y843.06" if
desired



*Dimensions: width x length x height

Hanging Trays



Code


Outside Dimensions

Y480.20	254x70x30 mm
Y480.22	254x120x30 mm
Y480.24	254x170x30 mm
Y480.26	254x240x30 mm

Compatible with standard tray and basket series.




Individually usable for sterilization requirements.



COMPONENTS

Separators

Non-Sliding




Code

Y844.01
Y844.02
Y844.03
Y844.04

Outside Dimensions

230x240x45mm
390x240x45mm
470x240x45mm
530x240x45mm

Sliding



Code

Y844.11
Y844.12
Y844.13
Y844.14

Outside Dimensions

230x240x45mm
390x240x45mm
470x240x45mm
530x240x45mm

Suitability of our sterile containers for steam sterilization procedures as per DIN 58953, part 9

Type	Packing		Steam sterilization procedure acc. to DIN 58946, part 1				
	Description	Symbolic Delivery and Packaging System	Gravity Procedure	Pre-Vacuum Procedure	Fractional Vacuum Procedure	Fractional Flow Procedure	Steam Injection Procedure
With filters (StB-F)	Textiles in sterilization container with filter in lid and bottom acc. to DIN 58952 part 1		+	+	+	+	+
			0	0	+	+	+
	Textiles in sterilization container with filter in lid, bottom not perforated acc. to DIN 58952 part 1		-	-	+	+	+
			-	-	+	+	0
	Textiles in sterilization container with filter in bottom lid, not perforated acc. to DIN 58952 part 1		0	+	+	+	+
			-	0	+	+	+
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in lid and bottom acc. to DIN 58952 part 1		+	+	+	+	+
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in lid and bottom not perforated acc. to DIN 58952 part 1		-	+	+	+	+
	Instruments in wire basket acc. To DIN 58952 part III, in sterilization container with filter in bottom acc. to DIN 58952 part 1		0	+	+	+	+
	With valve (StB-V)	Textiles in sterilization container with valves in lid and bottom acc. to DIN 58952 part 1		-	0	+	+
			-	-	+	+	0
Textiles in sterilization container with valves in lid, no valves on the bottom			-	-	+	+	-
			-	-	+	+	-
Instruments in wire basket in sterilization container with valve in lid and bottom			-	+	+	+	+
Instruments in wire basket in sterilization container with valve in lid no valves on the bottom			-	+	+	+	+

INDEX

Numerical

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y100.01.....	37	Y100.52.....	49	Y102.06.....	63	Y105.13W.....	43	Y105.62.....	61
Y100.01.....	55	Y100.52.....	49	Y103.01B.....	37	Y105.15.....	55	Y105.62W.....	49
Y100.01B.....	43	Y100.52.....	61	Y103.01B.....	55	Y105.15.....	63	Y105.68.....	61
Y100.01P.....	43	Y100.53.....	49	Y103.02B.....	37	Y105.15M1.....	27	Y105.68W.....	49
Y100.01V.....	43	Y100.53.....	49	Y103.02B.....	55	Y105.15M2.....	27	Y105.70W.....	48
Y100.02.....	37	Y100.53.....	61	Y103.03B.....	37	Y105.15M3.....	27	Y106.10.....	55
Y100.02.....	55	Y100.54.....	49	Y103.03B.....	55	Y105.15M4.....	27	Y106.10M1.....	27
Y100.02B.....	43	Y100.54.....	49	Y103.04B.....	37	Y105.15M5.....	27	Y106.10M2.....	27
Y100.02P.....	43	Y100.54.....	61	Y103.04B.....	55	Y105.15M6.....	27	Y106.10M3.....	27
Y100.02V.....	43	Y100.55.....	49	Y103.05B.....	37	Y105.15M7.....	27	Y106.10M4.....	27
Y100.03.....	37	Y100.55.....	49	Y103.05B.....	55	Y105.15W.....	37	Y106.10M5.....	27
Y100.03.....	55	Y100.55.....	61	Y103.06B.....	37	Y105.15W.....	43	Y106.10M6.....	27
Y100.03B.....	43	Y100.56.....	49	Y103.06B.....	55	Y105.15W.....	51	Y106.10M7.....	27
Y100.03P.....	43	Y100.56.....	49	Y103.07M.....	27	Y105.20.....	55	Y106.10W.....	37
Y100.03V.....	43	Y100.56.....	61	Y105.10.....	55	Y105.20M1.....	27	Y106.13.....	55
Y100.04.....	37	Y100.71.....	48	Y105.10M1.....	27	Y105.20M2.....	27	Y106.13M1.....	27
Y100.04.....	55	Y100.72.....	48	Y105.10M2.....	27	Y105.20M3.....	27	Y106.13M2.....	27
Y100.04B.....	43	Y100.73.....	48	Y105.10M3.....	27	Y105.20M4.....	27	Y106.13M3.....	27
Y100.04P.....	43	Y100.74.....	48	Y105.10M4.....	27	Y105.20M5.....	27	Y106.13M4.....	27
Y100.04V.....	43	Y100.75.....	48	Y105.10M5.....	27	Y105.20M6.....	27	Y106.13M5.....	27
Y100.05.....	37	Y100.76.....	48	Y105.10M6.....	27	Y105.20M7.....	27	Y106.13M6.....	27
Y100.05.....	55	Y100.97M.....	33	Y105.10M7.....	27	Y105.20W.....	37	Y106.13M7.....	27
Y100.05B.....	43	Y102.01.....	51	Y105.10W.....	37	Y105.20W.....	43	Y106.13W.....	37
Y100.05P.....	43	Y102.01.....	63	Y105.10W.....	43	Y105.26.....	55	Y106.15.....	55
Y100.05V.....	43	Y102.02.....	51	Y105.13.....	55	Y105.26M1.....	27	Y106.15M1.....	27
Y100.06.....	37	Y102.02.....	63	Y105.13M1.....	27	Y105.26M2.....	27	Y106.15M2.....	27
Y100.06.....	55	Y102.03.....	51	Y105.13M2.....	27	Y105.26M3.....	27	Y106.15M3.....	27
Y100.06B.....	43	Y102.03.....	63	Y105.13M3.....	27	Y105.26M4.....	27	Y106.15M4.....	27
Y100.06P.....	43	Y102.04.....	51	Y105.13M4.....	27	Y105.26M5.....	27	Y106.15M5.....	27
Y100.06V.....	43	Y102.04.....	63	Y105.13M5.....	27	Y105.26M6.....	27	Y106.15M6.....	27
Y100.51.....	49	Y102.05.....	51	Y105.13M6.....	27	Y105.26M7.....	27	Y106.15M7.....	27
Y100.51.....	49	Y102.05.....	63	Y105.13M7.....	27	Y105.26W.....	37	Y106.15W.....	37
Y100.51.....	61	Y102.06.....	51	Y105.13W.....	37	Y105.26W.....	43	Y106.20.....	55

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y106.20M1	27	Y110.26WP	42	Y113.26	54	Y121.92M	32	Y130.26WV	42
Y106.20M2	27	Y110.26WV	42	Y113.26M	26	Y122.10	54	Y130.62	60
Y106.20M3	27	Y110.62	60	Y113.26W	36	Y122.10M	26	Y130.62W	49
Y106.20M4	27	Y110.62W	49	Y115.15	63	Y122.10W	36	Y130.62WB	49
Y106.20M5	27	Y110.62WB	49	Y115.15W	51	Y122.13	54	Y130.70W	48
Y106.20M6	27	Y110.68	60	Y120.10	54	Y122.13M	26	Y131.10	54
Y106.20M7	27	Y110.68W	49	Y120.10W	36	Y122.13W	36	Y131.10W	36
Y106.20W	37	Y110.68WB	49	Y120.10WB	42	Y122.15	54	Y131.15	54
Y106.26	55	Y110.70W	48	Y120.10WP	42	Y122.15M	26	Y131.15W	36
Y106.26M1	27	Y111.10	54	Y120.10WV	42	Y122.15W	36	Y131.20	54
Y106.26M2	27	Y111.10W	36	Y120.13	54	Y122.20	54	Y131.20W	36
Y106.26M3	27	Y111.13	54	Y120.13W	36	Y122.20M	26	Y131.26	54
Y106.26M4	27	Y111.13W	36	Y120.13WB	42	Y122.20W	36	Y131.26W	36
Y106.26M5	27	Y111.15	54	Y120.13WP	42	Y122.26	54	Y131.62	60
Y106.26M6	27	Y111.15W	36	Y120.13WV	42	Y122.26M	26	Y131.62W	49
Y106.26M7	27	Y111.20	54	Y120.15	54	Y122.26W	36	Y131.70W	48
Y106.26W	37	Y111.20W	36	Y120.15W	36	Y123.10	54	Y131.92M	32
Y106.62	61	Y111.26	54	Y120.15WB	42	Y123.10M	26	Y132.10	54
Y106.62W	49	Y111.26W	36	Y120.15WP	42	Y123.10W	36	Y132.10M	26
Y106.68	61	Y111.62	60	Y120.15WV	42	Y123.13	54	Y132.10W	36
Y106.68W	49	Y111.62W	49	Y120.20	54	Y123.13M	26	Y132.15	54
Y106.70W	48	Y111.68	60	Y120.20W	36	Y123.13W	36	Y132.15M	26
Y106.92M1	33	Y111.68W	49	Y120.20WB	42	Y123.15	54	Y132.15W	36
Y106.92M2	33	Y111.70W	48	Y120.20WP	42	Y123.15M	26	Y132.20	54
Y106.92M3	33	Y111.92M	32	Y120.20WV	42	Y123.15W	36	Y132.20M	26
Y106.92M4	33	Y112.10	54	Y120.26	54	Y123.20	54	Y132.20W	36
Y106.92M5	33	Y112.10M	26	Y120.26W	36	Y123.20M	26	Y132.26	54
Y106.92M6	33	Y112.10W	36	Y120.26WB	42	Y123.20W	36	Y132.26M	26
Y106.92M7	33	Y112.13	54	Y120.26WP	42	Y123.26	54	Y132.26W	36
Y110.10	54	Y112.13M	26	Y120.26WV	42	Y123.26M	26	Y133.10	54
Y110.10W	36	Y112.13W	36	Y120.62	60	Y123.26W	36	Y133.10M	26
Y110.10WB	42	Y112.15	54	Y120.62W	49	Y125.15	63	Y133.10W	36
Y110.10WP	42	Y112.15M	26	Y120.62WB	49	Y125.15W	51	Y133.15	54
Y110.10WV	42	Y112.15W	36	Y120.68	60	Y130.10	54	Y133.15M	26
Y110.13	54	Y112.20	54	Y120.68W	49	Y130.10W	36	Y133.15W	36
Y110.13W	36	Y112.20M	26	Y120.68WB	49	Y130.10WB	42	Y133.20	54
Y110.13WB	42	Y112.20W	36	Y120.70W	48	Y130.10WP	42	Y133.20M	26
Y110.13WP	42	Y112.26	54	Y121.10	54	Y130.10WV	42	Y133.20W	36
Y110.13WV	42	Y112.26M	26	Y121.10W	36	Y130.15	54	Y133.26	54
Y110.15	54	Y112.26W	36	Y121.13	54	Y130.15W	36	Y133.26M	26
Y110.15W	36	Y113.10	54	Y121.13W	36	Y130.15WB	42	Y133.26W	36
Y110.15WB	42	Y113.10M	26	Y121.15	54	Y130.15WP	42	Y135.15	63
Y110.15WP	42	Y113.10W	36	Y121.15W	36	Y130.15WV	42	Y135.15W	51
Y110.15WV	42	Y113.13	54	Y121.20	54	Y130.20	54	Y140.10	54
Y110.20	54	Y113.13M	26	Y121.20W	36	Y130.20W	36	Y140.10W	36
Y110.20W	36	Y113.13W	36	Y121.26	54	Y130.20WB	42	Y140.10WB	42
Y110.20WB	42	Y113.15	54	Y121.26W	36	Y130.20WP	42	Y140.10WP	42
Y110.20WP	42	Y113.15M	26	Y121.62	60	Y130.20WV	42	Y140.10WV	42
Y110.20WV	42	Y113.15W	36	Y121.62W	49	Y130.26	54	Y140.13	54
Y110.26	54	Y113.20	54	Y121.68	60	Y130.26W	36	Y140.13W	36
Y110.26W	36	Y113.20M	26	Y121.68W	49	Y130.26WB	42	Y140.13WB	42
Y110.26WB	42	Y113.20W	36	Y121.70W	48	Y130.26WP	42	Y140.13WP	42

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y140.13WV	42	Y142.26M	26	Y151.10W	36	Y160.13	54	Y162.20	54
Y140.15	54	Y142.26W	36	Y151.13	54	Y160.13W	36	Y162.20M	26
Y140.15W	36	Y143.10	54	Y151.13W	36	Y160.13WB	42	Y162.20W	36
Y140.15WB	42	Y143.10M	26	Y151.15	54	Y160.13WP	42	Y162.26	54
Y140.15WP	42	Y143.10W	36	Y151.15W	36	Y160.13WV	42	Y162.26M	26
Y140.15WV	42	Y143.13	54	Y151.20	54	Y160.15	54	Y162.26W	36
Y140.20	54	Y143.13M	26	Y151.20W	36	Y160.15W	36	Y163.10	54
Y140.20W	36	Y143.13W	36	Y151.26	54	Y160.15WB	42	Y163.10M	26
Y140.20WB	42	Y143.15	54	Y151.26W	36	Y160.15WP	42	Y163.10W	36
Y140.20WP	42	Y143.15M	26	Y151.62	60	Y160.15WV	42	Y163.13	54
Y140.20WV	42	Y143.15W	36	Y151.62W	49	Y160.20	54	Y163.13M	26
Y140.26	54	Y143.20	54	Y151.68	60	Y160.20W	36	Y163.13W	36
Y140.26W	36	Y143.20M	26	Y151.68W	49	Y160.20WB	42	Y163.15	54
Y140.26WB	42	Y143.20W	36	Y151.70W	48	Y160.20WP	42	Y163.15M	26
Y140.26WP	42	Y143.26	54	Y151.92M	32	Y160.20WV	42	Y163.15W	36
Y140.26WV	42	Y143.26M	26	Y152.10	54	Y160.26	54	Y163.20	54
Y140.62	60	Y143.26W	36	Y152.10M	26	Y160.26W	36	Y163.20M	26
Y140.62W	49	Y145.15	63	Y152.10W	36	Y160.26WB	42	Y163.20W	36
Y140.62WB	49	Y145.15W	51	Y152.13	54	Y160.26WP	42	Y163.26	54
Y140.68	60	Y150.10	54	Y152.13M	26	Y160.26WV	42	Y163.26M	26
Y140.68W	49	Y150.10W	36	Y152.13W	36	Y160.62	60	Y163.26W	36
Y140.68WB	49	Y150.10WB	42	Y152.15	54	Y160.62W	49	Y165.15	63
Y140.70W	48	Y150.10WP	42	Y152.15M	26	Y160.62WB	49	Y165.15W	51
Y141.10	54	Y150.10WV	42	Y152.15W	36	Y160.68	60	Y171.92M	32
Y141.10W	36	Y150.13	54	Y152.20	54	Y160.68W	49	Y172.10M	26
Y141.13	54	Y150.13W	36	Y152.20M	26	Y160.68WB	49	Y172.13M	26
Y141.13W	36	Y150.13WB	42	Y152.20W	36	Y160.70W	48	Y172.15M	26
Y141.15	54	Y150.13WP	42	Y152.26	54	Y161.10	54	Y172.20M	26
Y141.15W	36	Y150.13WV	42	Y152.26M	26	Y161.10W	36	Y172.26M	26
Y141.20	54	Y150.15	54	Y152.26W	36	Y161.13	54	Y173.10M	26
Y141.20W	36	Y150.15W	36	Y153.10	54	Y161.13W	36	Y173.13M	26
Y141.26	54	Y150.15WB	42	Y153.10M	26	Y161.15	54	Y173.15M	26
Y141.26W	36	Y150.15WP	42	Y153.10W	36	Y161.15W	36	Y173.20M	26
Y141.62	60	Y150.15WV	42	Y153.13	54	Y161.20	54	Y173.26M	26
Y141.62W	49	Y150.20	54	Y153.13M	26	Y161.20W	36	Y180.01	80
Y141.68	60	Y150.20W	36	Y153.13W	36	Y161.26	54	Y180.03	80
Y141.68W	49	Y150.20WB	42	Y153.15	54	Y161.26W	36	Y180.03F	80
Y141.70W	48	Y150.20WP	42	Y153.15M	26	Y161.62	60	Y180.03FL	80
Y141.92M	32	Y150.20WV	42	Y153.15W	36	Y161.62W	49	Y180.03L	80
Y142.10	54	Y150.26	54	Y153.20	54	Y161.68	60	Y180.05	80
Y142.10M	26	Y150.26W	36	Y153.20M	26	Y161.68W	49	Y180.05F	80
Y142.10W	36	Y150.26WB	42	Y153.20W	36	Y161.70W	48	Y180.05FL	80
Y142.13	54	Y150.26WP	42	Y153.26	54	Y161.92M	32	Y180.05L	80
Y142.13M	26	Y150.26WV	42	Y153.26M	26	Y162.10	54	Y180.07	80
Y142.13W	36	Y150.62	60	Y153.26W	36	Y162.10M	26	Y180.07F	80
Y142.15	54	Y150.62W	49	Y155.15	63	Y162.10W	36	Y180.07FL	80
Y142.15M	26	Y150.62WB	49	Y155.15W	51	Y162.13	54	Y180.07L	80
Y142.15W	36	Y150.68	60	Y160.10	54	Y162.13M	26	Y180.10	80
Y142.20	54	Y150.68W	49	Y160.10W	36	Y162.13W	36	Y180.10F	80
Y142.20M	26	Y150.68WB	49	Y160.10WB	42	Y162.15	54	Y180.10FL	80
Y142.20W	36	Y150.70W	48	Y160.10WP	42	Y162.15M	26	Y180.10L	80
Y142.26	54	Y151.10	54	Y160.10WV	42	Y162.15W	36	Y181.01	80

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y181.03	80	Y190.03	92	Y196.07C	88	Y200.05	39	Y205.15W	45
Y181.03F	80	Y190.05	92	Y196.07CL	88	Y200.05	57	Y205.20	57
Y181.03FL	80	Y190.07	92	Y196.10A	86	Y200.05B	45	Y205.20M1	29
Y181.03L	80	Y190.10	92	Y196.10AL	86	Y200.05P	45	Y205.20M2	29
Y181.05	80	Y190.55	97	Y196.10B	87	Y200.05V	45	Y205.20M3	29
Y181.05F	80	Y191.01	86	Y196.10BL	87	Y200.06	39	Y205.20M4	29
Y181.05FL	80	Y191.01	92	Y196.10C	88	Y200.06	57	Y205.20M5	29
Y181.05L	80	Y191.03	92	Y196.10CL	88	Y200.06B	45	Y205.20M6	29
Y181.07	80	Y191.05	92	Y197.05A	86	Y200.06P	45	Y205.20M7	29
Y181.07F	80	Y191.07	92	Y197.05AL	86	Y200.06V	45	Y205.20W	39
Y181.07FL	80	Y191.10	92	Y197.05B	87	Y203.01B	39	Y205.20W	45
Y181.07L	80	Y191.60	97	Y197.05BL	87	Y203.01B	57	Y206.10	57
Y181.10	80	Y192.01	87	Y197.05C	88	Y203.02B	39	Y206.10M1	29
Y181.10F	80	Y192.01	93	Y197.05CL	88	Y203.02B	57	Y206.10M2	29
Y181.10FL	80	Y192.03	93	Y197.06A	86	Y203.03B	39	Y206.10M3	29
Y181.10L	80	Y192.05	93	Y197.06AL	86	Y203.03B	57	Y206.10M4	29
Y182.01	80	Y192.07	93	Y197.06B	87	Y203.04B	39	Y206.10M5	29
Y182.03	80	Y192.10	93	Y197.06BL	87	Y203.04B	57	Y206.10M6	29
Y182.03F	80	Y193.01	87	Y197.06C	88	Y203.05B	39	Y206.10M7	29
Y182.03FL	80	Y193.01	93	Y197.06CL	88	Y203.05B	57	Y206.10W	39
Y182.03L	80	Y193.03	93	Y197.07A	86	Y203.06B	39	Y206.13	57
Y182.05	80	Y193.05	93	Y197.07AL	86	Y203.06B	57	Y206.13M1	29
Y182.05F	80	Y193.07	93	Y197.07B	87	Y203.07M	29	Y206.13M2	29
Y182.05FL	80	Y193.10	93	Y197.07BL	87	Y205.10	57	Y206.13M3	29
Y182.05L	80	Y194.01	88	Y197.07C	88	Y205.10M1	29	Y206.13M4	29
Y182.07	80	Y194.01	94	Y197.07CL	88	Y205.10M2	29	Y206.13M5	29
Y182.07F	80	Y194.03	94	Y197.10A	86	Y205.10M3	29	Y206.13M6	29
Y182.07FL	80	Y194.05	94	Y197.10AL	86	Y205.10M4	29	Y206.13M7	29
Y182.07L	80	Y194.07	94	Y197.10B	87	Y205.10M5	29	Y206.13W	39
Y182.10	80	Y194.10	94	Y197.10BL	87	Y205.10M6	29	Y206.15	57
Y182.10F	80	Y195.01	88	Y197.10C	88	Y205.10M7	29	Y206.15M1	29
Y182.10FL	80	Y195.01	94	Y197.10CL	88	Y205.10W	39	Y206.15M2	29
Y182.10L	80	Y195.03	94	Y200.01	39	Y205.10W	45	Y206.15M3	29
Y183.01	80	Y195.05	94	Y200.01	57	Y205.13	57	Y206.15M4	29
Y183.03	80	Y195.07	94	Y200.01B	45	Y205.13M1	29	Y206.15M5	29
Y183.03F	80	Y195.10	94	Y200.01P	45	Y205.13M2	29	Y206.15M6	29
Y183.03FL	80	Y196.05A	86	Y200.01V	45	Y205.13M3	29	Y206.15M7	29
Y183.03L	80	Y196.05AL	86	Y200.02	39	Y205.13M4	29	Y206.15W	39
Y183.05	80	Y196.05B	87	Y200.02	57	Y205.13M5	29	Y206.20	57
Y183.05F	80	Y196.05BL	87	Y200.02B	45	Y205.13M6	29	Y206.20M1	29
Y183.05FL	80	Y196.05C	88	Y200.02P	45	Y205.13M7	29	Y206.20M2	29
Y183.05L	80	Y196.05CL	88	Y200.02V	45	Y205.13W	39	Y206.20M3	29
Y183.07	80	Y196.06A	86	Y200.03	39	Y205.13W	45	Y206.20M4	29
Y183.07F	80	Y196.06AL	86	Y200.03	57	Y205.15	57	Y206.20M5	29
Y183.07FL	80	Y196.06B	87	Y200.03B	45	Y205.15M1	29	Y206.20M6	29
Y183.07L	80	Y196.06BL	87	Y200.03P	45	Y205.15M2	29	Y206.20M7	29
Y183.10	80	Y196.06C	88	Y200.03V	45	Y205.15M3	29	Y206.20W	39
Y183.10F	80	Y196.06CL	88	Y200.04	39	Y205.15M4	29	Y210.10	56
Y183.10FL	80	Y196.07A	86	Y200.04	57	Y205.15M5	29	Y210.10W	38
Y183.10L	80	Y196.07AL	86	Y200.04B	45	Y205.15M6	29	Y210.10WB	44
Y190.01	86	Y196.07B	87	Y200.04P	45	Y205.15M7	29	Y210.10WP	44
Y190.01	92	Y196.07BL	87	Y200.04V	45	Y205.15W	39	Y210.10WV	44

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y210.13	56	Y220.13	56	Y230.15	56	Y240.20WP	44	Y250.20WP	44
Y210.13W	38	Y220.13W	38	Y230.15W	38	Y240.20WV	44	Y250.20WV	44
Y210.13WB	44	Y220.13WB	44	Y230.15WB	44	Y241.10	56	Y251.10	56
Y210.13WP	44	Y220.13WP	44	Y230.15WP	44	Y241.10W	38	Y251.10W	38
Y210.13WV	44	Y220.13WV	44	Y230.15WV	44	Y241.13	56	Y251.13	56
Y210.15	56	Y220.15	56	Y230.20	56	Y241.13W	38	Y251.13W	38
Y210.15W	38	Y220.15W	38	Y230.20W	38	Y241.15	56	Y251.15	56
Y210.15WB	44	Y220.15WB	44	Y230.20WB	44	Y241.15W	38	Y251.15W	38
Y210.15WP	44	Y220.15WP	44	Y230.20WP	44	Y241.20	56	Y251.20	56
Y210.15WV	44	Y220.15WV	44	Y230.20WV	44	Y241.20W	38	Y251.20W	38
Y210.20	56	Y220.20	56	Y231.10	56	Y242.10	56	Y252.10	56
Y210.20W	38	Y220.20W	38	Y231.10W	38	Y242.10M	28	Y252.10M	28
Y210.20WB	44	Y220.20WB	44	Y231.15	56	Y242.10W	38	Y252.10W	38
Y210.20WP	44	Y220.20WP	44	Y231.15W	38	Y242.13	56	Y252.13	56
Y210.20WV	44	Y220.20WV	44	Y231.20	56	Y242.13M	28	Y252.13M	28
Y211.10	56	Y221.10	56	Y231.20W	38	Y242.13W	38	Y252.13W	38
Y211.10W	38	Y221.10W	38	Y232.10	56	Y242.15	56	Y252.15	56
Y211.13	56	Y221.13	56	Y232.10M	28	Y242.15M	28	Y252.15M	28
Y211.13W	38	Y221.13W	38	Y232.10W	38	Y242.15W	38	Y252.15W	38
Y211.15	56	Y221.15	56	Y232.15	56	Y242.20	56	Y252.20	56
Y211.15W	38	Y221.15W	38	Y232.15M	28	Y242.20M	28	Y252.20M	28
Y211.20	56	Y221.20	56	Y232.15W	38	Y242.20W	38	Y252.20W	38
Y211.20W	38	Y221.20W	38	Y232.20	56	Y243.10	56	Y253.10	56
Y212.10	56	Y222.10	56	Y232.20M	28	Y243.10M	28	Y253.10M	28
Y212.10M	28	Y222.10M	28	Y232.20W	38	Y243.10W	38	Y253.10W	38
Y212.10W	38	Y222.10W	38	Y233.10	56	Y243.13	56	Y253.13	56
Y212.13	56	Y222.13	56	Y233.10M	28	Y243.13M	28	Y253.13M	28
Y212.13M	28	Y222.13M	28	Y233.10W	38	Y243.13W	38	Y253.13W	38
Y212.13W	38	Y222.13W	38	Y233.15	56	Y243.15	56	Y253.15	56
Y212.15	56	Y222.15	56	Y233.15M	28	Y243.15M	28	Y253.15M	28
Y212.15M	28	Y222.15M	28	Y233.15W	38	Y243.15W	38	Y253.15W	38
Y212.15W	38	Y222.15W	38	Y233.20	56	Y243.20	56	Y253.20	56
Y212.20	56	Y222.20	56	Y233.20M	28	Y243.20M	28	Y253.20M	28
Y212.20M	28	Y222.20M	28	Y233.20W	38	Y243.20W	38	Y253.20W	38
Y212.20W	38	Y222.20W	38	Y240.10	56	Y250.10	56	Y260.10	56
Y213.10	56	Y223.10	56	Y240.10W	38	Y250.10W	38	Y260.10W	38
Y213.10M	28	Y223.10M	28	Y240.10WB	44	Y250.10WB	44	Y260.10WB	44
Y213.10W	38	Y223.10W	38	Y240.10WP	44	Y250.10WP	44	Y260.10WP	44
Y213.13	56	Y223.13	56	Y240.10WV	44	Y250.10WV	44	Y260.10WV	44
Y213.13M	28	Y223.13M	28	Y240.13	56	Y250.13	56	Y260.13	56
Y213.13W	38	Y223.13W	38	Y240.13W	38	Y250.13W	38	Y260.13W	38
Y213.15	56	Y223.15	56	Y240.13WB	44	Y250.13WB	44	Y260.13WB	44
Y213.15M	28	Y223.15M	28	Y240.13WP	44	Y250.13WP	44	Y260.13WP	44
Y213.15W	38	Y223.15W	38	Y240.13WV	44	Y250.13WV	44	Y260.13WV	44
Y213.20	56	Y223.20	56	Y240.15	56	Y250.15	56	Y260.15	56
Y213.20M	28	Y223.20M	28	Y240.15W	38	Y250.15W	38	Y260.15W	38
Y213.20W	38	Y223.20W	38	Y240.15WB	44	Y250.15WB	44	Y260.15WB	44
Y220.10	56	Y230.10	56	Y240.15WP	44	Y250.15WP	44	Y260.15WP	44
Y220.10W	38	Y230.10W	38	Y240.15WV	44	Y250.15WV	44	Y260.15WV	44
Y220.10WB	44	Y230.10WB	44	Y240.20	56	Y250.20	56	Y260.20	56
Y220.10WP	44	Y230.10WP	44	Y240.20W	38	Y250.20W	38	Y260.20W	38
Y220.10WV	44	Y230.10WV	44	Y240.20WB	44	Y250.20WB	44	Y260.20WB	44

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y260.20WP	44	Y280.10FL	80	Y300.03P	47	Y305.10M1	31	Y306.08A	66
Y260.20WV	44	Y280.10L	80	Y300.03V	47	Y305.10M2	31	Y306.10	59
Y261.10	56	Y290.01	86	Y300.04	41	Y305.10M3	31	Y306.10M1	31
Y261.10W	38	Y290.01	92	Y300.04	59	Y305.10M4	31	Y306.10M2	31
Y261.13	56	Y290.03	92	Y300.04B	47	Y305.10M5	31	Y306.10M3	31
Y261.13W	38	Y290.05	92	Y300.04P	47	Y305.10M6	31	Y306.10M4	31
Y261.15	56	Y290.10	92	Y300.04V	47	Y305.10M7	31	Y306.10M5	31
Y261.15W	38	Y292.01	87	Y300.05	41	Y305.10W	41	Y306.10M6	31
Y261.20	56	Y292.01	93	Y300.05	59	Y305.10W	47	Y306.10M7	31
Y261.20W	38	Y292.03	93	Y300.05B	47	Y305.10W	50	Y306.10W	41
Y262.10	56	Y292.05	93	Y300.05P	47	Y305.13	59	Y306.13	59
Y262.10M	28	Y292.10	93	Y300.05V	47	Y305.13M1	31	Y306.13M1	31
Y262.10W	38	Y294.01	88	Y300.06	41	Y305.13M2	31	Y306.13M2	31
Y262.13	56	Y294.01	94	Y300.06	59	Y305.13M3	31	Y306.13M3	31
Y262.13M	28	Y294.03	94	Y300.06B	47	Y305.13M4	31	Y306.13M4	31
Y262.13W	38	Y294.05	94	Y300.06P	47	Y305.13M5	31	Y306.13M5	31
Y262.15	56	Y294.10	94	Y300.06V	47	Y305.13M6	31	Y306.13M6	31
Y262.15M	28	Y296.05A	86	Y302.01	50	Y305.13M7	31	Y306.13M7	31
Y262.15W	38	Y296.05AL	86	Y302.01	62	Y305.13W	41	Y306.13W	41
Y262.20	56	Y296.05B	87	Y302.02	50	Y305.13W	47	Y306.15	59
Y262.20M	28	Y296.05BL	87	Y302.02	62	Y305.15	59	Y306.15M1	31
Y262.20W	38	Y296.05C	88	Y302.03	50	Y305.15	62	Y306.15M2	31
Y263.10	56	Y296.05CL	88	Y302.03	62	Y305.15M1	31	Y306.15M3	31
Y263.10M	28	Y296.06A	86	Y302.04	50	Y305.15M2	31	Y306.15M4	31
Y263.10W	38	Y296.06AL	86	Y302.04	62	Y305.15M3	31	Y306.15M5	31
Y263.13	56	Y296.06B	87	Y302.05	50	Y305.15M4	31	Y306.15M6	31
Y263.13M	28	Y296.06BL	87	Y302.05	62	Y305.15M5	31	Y306.15M7	31
Y263.13W	38	Y296.06C	88	Y302.06	50	Y305.15M6	31	Y306.15W	41
Y263.15	56	Y296.06CL	88	Y302.06	62	Y305.15M7	31	Y306.20	59
Y263.15M	28	Y296.10A	86	Y303.01B	41	Y305.15W	41	Y306.20M1	31
Y263.15W	38	Y296.10AL	86	Y303.01B	59	Y305.15W	47	Y306.20M2	31
Y263.20	56	Y296.10B	87	Y303.02B	41	Y305.15W	50	Y306.20M3	31
Y263.20M	28	Y296.10BL	87	Y303.02B	59	Y305.20	59	Y306.20M4	31
Y263.20W	38	Y296.10C	88	Y303.03B	41	Y305.20M1	31	Y306.20M5	31
Y272.10M	28	Y296.10CL	88	Y303.03B	59	Y305.20M2	31	Y306.20M6	31
Y272.13M	28	Y297.04	89	Y303.04B	41	Y305.20M3	31	Y306.20M7	31
Y272.15M	28	Y298.04	89	Y303.04B	59	Y305.20M4	31	Y306.20W	41
Y272.20M	28	Y298.08	89	Y303.05B	41	Y305.20M5	31	Y306.26	59
Y273.10M	28	Y299.08	89	Y303.05B	59	Y305.20M6	31	Y306.26M1	31
Y273.13M	28	Y300.01	41	Y303.06B	41	Y305.20M7	31	Y306.26M2	31
Y273.15M	28	Y300.01	59	Y303.06B	59	Y305.20W	41	Y306.26M3	31
Y273.20M	28	Y300.01B	47	Y303.07M	31	Y305.20W	47	Y306.26M4	31
Y280.03	80	Y300.01P	47	Y304.01A	66	Y305.26	59	Y306.26M5	31
Y280.03F	80	Y300.01V	47	Y304.02A	66	Y305.26M1	31	Y306.26M6	31
Y280.03FL	80	Y300.02	41	Y304.03A	66	Y305.26M2	31	Y306.26M7	31
Y280.03L	80	Y300.02	59	Y304.04A	66	Y305.26M3	31	Y306.26W	41
Y280.05	80	Y300.02B	47	Y304.05A	66	Y305.26M4	31	Y310.05A	66
Y280.05F	80	Y300.02P	47	Y304.06A	66	Y305.26M5	31	Y310.08A	66
Y280.05FL	80	Y300.02V	47	Y305.05A	66	Y305.26M6	31	Y310.10	58
Y280.05L	80	Y300.03	41	Y305.08A	66	Y305.26M7	31	Y310.10W	40
Y280.10	80	Y300.03	59	Y305.10	59	Y305.26W	41	Y310.10WB	46
Y280.10F	80	Y300.03B	47	Y305.10	62	Y305.26W	47	Y310.10WP	46

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y310.10WV	46	Y313.13W	40	Y322.10	58	Y330.26WB	46	Y340.15WB	46
Y310.13	58	Y313.15	58	Y322.10M	30	Y330.26WP	46	Y340.15WP	46
Y310.13W	40	Y313.15M	30	Y322.10W	40	Y330.26WV	46	Y340.15WV	46
Y310.13WB	46	Y313.15W	40	Y322.13	58	Y331.08A	66	Y340.20	58
Y310.13WP	46	Y313.20	58	Y322.13M	30	Y331.10	58	Y340.20W	40
Y310.13WV	46	Y313.20M	30	Y322.13W	40	Y331.10W	40	Y340.20WB	46
Y310.15	58	Y313.20W	40	Y322.15	58	Y331.15	58	Y340.20WP	46
Y310.15W	40	Y313.26	58	Y322.15M	30	Y331.15W	40	Y340.20WV	46
Y310.15WB	46	Y313.26M	30	Y322.15W	40	Y331.20	58	Y340.26	58
Y310.15WP	46	Y313.26W	40	Y322.20	58	Y331.20W	40	Y340.26W	40
Y310.15WV	46	Y315.10	62	Y322.20M	30	Y331.26	58	Y340.26WB	46
Y310.20	58	Y315.10W	50	Y322.20W	40	Y331.26W	40	Y340.26WP	46
Y310.20W	40	Y315.15	62	Y322.26	58	Y332.10	58	Y340.26WV	46
Y310.20WB	46	Y315.15W	50	Y322.26M	30	Y332.10M	30	Y341.08A	66
Y310.20WP	46	Y320.05A	66	Y322.26W	40	Y332.10W	40	Y341.10	58
Y310.20WV	46	Y320.08A	66	Y323.10	58	Y332.15	58	Y341.10W	40
Y310.26	58	Y320.10	58	Y323.10M	30	Y332.15M	30	Y341.13	58
Y310.26W	40	Y320.10W	40	Y323.10W	40	Y332.15W	40	Y341.13W	40
Y310.26WB	46	Y320.10WB	46	Y323.13	58	Y332.20	58	Y341.15	58
Y310.26WP	46	Y320.10WP	46	Y323.13M	30	Y332.20M	30	Y341.15W	40
Y310.26WV	46	Y320.10WV	46	Y323.13W	40	Y332.20W	40	Y341.20	58
Y311.08A	66	Y320.13	58	Y323.15	58	Y332.26	58	Y341.20W	40
Y311.10	58	Y320.13W	40	Y323.15M	30	Y332.26M	30	Y341.26	58
Y311.10W	40	Y320.13WB	46	Y323.15W	40	Y332.26W	40	Y341.26W	40
Y311.13	58	Y320.13WP	46	Y323.20	58	Y333.10	58	Y342.10	58
Y311.13W	40	Y320.13WV	46	Y323.20M	30	Y333.10M	30	Y342.10M	30
Y311.15	58	Y320.15	58	Y323.20W	40	Y333.10W	40	Y342.10W	40
Y311.15W	40	Y320.15W	40	Y323.26	58	Y333.15	58	Y342.13	58
Y311.20	58	Y320.15WB	46	Y323.26M	30	Y333.15M	30	Y342.13M	30
Y311.20W	40	Y320.15WP	46	Y323.26W	40	Y333.15W	40	Y342.13W	40
Y311.26	58	Y320.15WV	46	Y325.10	62	Y333.20	58	Y342.15	58
Y311.26W	40	Y320.20	58	Y325.10W	50	Y333.20M	30	Y342.15M	30
Y312.10	58	Y320.20W	40	Y325.15	62	Y333.20W	40	Y342.15W	40
Y312.10M	30	Y320.20WB	46	Y325.15W	50	Y333.26	58	Y342.20	58
Y312.10W	40	Y320.20WP	46	Y330.05A	66	Y333.26M	30	Y342.20M	30
Y312.13	58	Y320.20WV	46	Y330.10	58	Y333.26W	40	Y342.20W	40
Y312.13M	30	Y320.26	58	Y330.10W	40	Y335.10	62	Y342.26	58
Y312.13W	40	Y320.26W	40	Y330.10WB	46	Y335.10W	50	Y342.26M	30
Y312.15	58	Y320.26WB	46	Y330.10WP	46	Y340.05A	66	Y342.26W	40
Y312.15M	30	Y320.26WP	46	Y330.10WV	46	Y340.08A	66	Y343.10	58
Y312.15W	40	Y320.26WV	46	Y330.15	58	Y340.10	58	Y343.10M	30
Y312.20	58	Y321.08A	66	Y330.15W	40	Y340.10W	40	Y343.10W	40
Y312.20M	30	Y321.10	58	Y330.15WB	46	Y340.10WB	46	Y343.13	58
Y312.20W	40	Y321.10W	40	Y330.15WP	46	Y340.10WP	46	Y343.13M	30
Y312.26	58	Y321.13	58	Y330.15WV	46	Y340.10WV	46	Y343.13W	40
Y312.26M	30	Y321.13W	40	Y330.20	58	Y340.13	58	Y343.15	58
Y312.26W	40	Y321.15	58	Y330.20W	40	Y340.13W	40	Y343.15M	30
Y313.10	58	Y321.15W	40	Y330.20WB	46	Y340.13WB	46	Y343.15W	40
Y313.10M	30	Y321.20	58	Y330.20WP	46	Y340.13WP	46	Y343.20	58
Y313.10W	40	Y321.20W	40	Y330.20WV	46	Y340.13WV	46	Y343.20M	30
Y313.13	58	Y321.26	58	Y330.26	58	Y340.15	58	Y343.20W	40
Y313.13M	30	Y321.26W	40	Y330.26W	40	Y340.15W	40	Y343.26	58

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y343.26M	30	Y352.15W	40	Y360.26WV	46	Y373.13M	30	Y396.07AL	86
Y343.26W	40	Y352.20	58	Y361.08A	66	Y373.15M	30	Y396.07B	87
Y345.10	62	Y352.20M	30	Y361.10	58	Y373.20M	30	Y396.07BL	87
Y345.10W	50	Y352.20W	40	Y361.10W	40	Y373.26M	30	Y396.07C	88
Y345.15	62	Y352.26	58	Y361.13	58	Y380.01	80	Y396.07CL	88
Y345.15W	50	Y352.26M	30	Y361.13W	40	Y380.03	80	Y396.10A	86
Y350.05A	66	Y352.26W	40	Y361.15	58	Y380.03F	80	Y396.10AL	86
Y350.08A	66	Y353.10	58	Y361.15W	40	Y380.03FL	80	Y396.10B	87
Y350.10	58	Y353.10M	30	Y361.20	58	Y380.03L	80	Y396.10BL	87
Y350.10W	40	Y353.10W	40	Y361.20W	40	Y380.05	80	Y396.10C	88
Y350.10WB	46	Y353.13	58	Y361.26	58	Y380.05F	80	Y396.10CL	88
Y350.10WP	46	Y353.13M	30	Y361.26W	40	Y380.05FL	80	Y398.03	89
Y350.10WV	46	Y353.13W	40	Y362.10	58	Y380.05L	80	Y398.05	89
Y350.13	58	Y353.15	58	Y362.10M	30	Y380.07	80	Y398.10	89
Y350.13W	40	Y353.15M	30	Y362.10W	40	Y380.07F	80	Y400.01A	67
Y350.13WB	46	Y353.15W	40	Y362.13	58	Y380.07FL	80	Y400.01AB	73
Y350.13WP	46	Y353.20	58	Y362.13M	30	Y380.07L	80	Y400.01AP	73
Y350.13WV	46	Y353.20M	30	Y362.13W	40	Y380.10	80	Y400.01AV	73
Y350.15	58	Y353.20W	40	Y362.15	58	Y380.10F	80	Y400.02A	67
Y350.15W	40	Y353.26	58	Y362.15M	30	Y380.10FL	80	Y400.02AB	73
Y350.15WB	46	Y353.26M	30	Y362.15W	40	Y380.10L	80	Y400.02AP	73
Y350.15WP	46	Y353.26W	40	Y362.20	58	Y390.01	86	Y400.02AV	73
Y350.15WV	46	Y355.10	62	Y362.20M	30	Y390.01	92	Y400.03A	67
Y350.20	58	Y355.10W	50	Y362.20W	40	Y390.03	92	Y400.03AB	73
Y350.20W	40	Y355.15	62	Y362.26	58	Y390.05	92	Y400.03AP	73
Y350.20WB	46	Y355.15W	50	Y362.26M	30	Y390.07	92	Y400.03AV	73
Y350.20WP	46	Y360.05A	66	Y362.26W	40	Y390.10	92	Y400.04A	67
Y350.20WV	46	Y360.08A	66	Y363.10	58	Y392.01	87	Y400.04AB	73
Y350.26	58	Y360.10	58	Y363.10M	30	Y392.01	93	Y400.04AP	73
Y350.26W	40	Y360.10W	40	Y363.10W	40	Y392.03	93	Y400.04AV	73
Y350.26WB	46	Y360.10WB	46	Y363.13	58	Y392.05	93	Y400.05A	67
Y350.26WP	46	Y360.10WP	46	Y363.13M	30	Y392.07	93	Y400.05AB	73
Y350.26WV	46	Y360.10WV	46	Y363.13W	40	Y392.10	93	Y400.05AP	73
Y351.08A	66	Y360.13	58	Y363.15	58	Y394.01	88	Y400.05AV	73
Y351.10	58	Y360.13W	40	Y363.15M	30	Y394.01	94	Y400.06A	67
Y351.10W	40	Y360.13WB	46	Y363.15W	40	Y394.03	94	Y400.06AB	73
Y351.13	58	Y360.13WP	46	Y363.20	58	Y394.05	94	Y400.06AP	73
Y351.13W	40	Y360.13WV	46	Y363.20M	30	Y394.07	94	Y400.06AV	73
Y351.15	58	Y360.15	58	Y363.20W	40	Y394.10	94	Y405.04A	67
Y351.15W	40	Y360.15W	40	Y363.26	58	Y396.05A	86	Y405.04A	73
Y351.20	58	Y360.15WB	46	Y363.26M	30	Y396.05AL	86	Y405.07A	67
Y351.20W	40	Y360.15WP	46	Y363.26W	40	Y396.05B	87	Y405.07A	73
Y351.26	58	Y360.15WV	46	Y365.10	62	Y396.05BL	87	Y405.10A	67
Y351.26W	40	Y360.20	58	Y365.10W	50	Y396.05C	88	Y405.10A	73
Y352.10	58	Y360.20W	40	Y365.15	62	Y396.05CL	88	Y406.04A	67
Y352.10M	30	Y360.20WB	46	Y365.15W	50	Y396.06A	86	Y406.07A	67
Y352.10W	40	Y360.20WP	46	Y372.10M	30	Y396.06AL	86	Y406.10A	67
Y352.13	58	Y360.20WV	46	Y372.13M	30	Y396.06B	87	Y410.04A	67
Y352.13M	30	Y360.26	58	Y372.15M	30	Y396.06BL	87	Y410.04AB	72
Y352.13W	40	Y360.26W	40	Y372.20M	30	Y396.06C	88	Y410.04AP	72
Y352.15	58	Y360.26WB	46	Y372.26M	30	Y396.06CL	88	Y410.04AV	72
Y352.15M	30	Y360.26WP	46	Y373.10M	30	Y396.07A	86	Y410.07A	67

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
Y410.07AB	72	Y450.04AP	72	Y500.05A	68	Y520.08A	68	Y550.06A	68
Y410.07AP	72	Y450.04AV	72	Y500.05AB	71	Y520.08AB	70	Y550.08A	68
Y410.07AV	72	Y450.07A	67	Y500.05AP	71	Y520.08AP	70	Y550.08AB	70
Y410.10A	67	Y450.07AB	72	Y500.05AV	71	Y520.08AV	70	Y550.08AP	70
Y410.10AB	72	Y450.07AP	72	Y500.06A	68	Y520.10A	68	Y550.08AV	70
Y410.10AP	72	Y450.07AV	72	Y500.06AB	71	Y520.10AB	70	Y550.10A	68
Y410.10AV	72	Y450.10A	67	Y500.06AP	71	Y520.10AP	70	Y550.10AB	70
Y411.04A	67	Y450.10AB	72	Y500.06AV	71	Y520.10AV	70	Y550.10AP	70
Y411.07A	67	Y450.10AP	72	Y501.01A	69	Y520.13A	68	Y550.10AV	70
Y411.10A	67	Y450.10AV	72	Y501.02A	69	Y520.13AB	70	Y550.13A	68
Y420.04A	67	Y451.04A	67	Y501.03A	69	Y520.13AP	70	Y550.13AB	70
Y420.04AB	72	Y451.07A	67	Y501.04A	69	Y520.13AV	70	Y550.13AP	70
Y420.04AP	72	Y451.10A	67	Y501.05A	69	Y521.04A	68	Y550.13AV	70
Y420.04AV	72	Y460.04A	67	Y501.06A	69	Y521.06A	68	Y551.04A	68
Y420.07A	67	Y460.04AB	72	Y505.04A	68	Y521.08A	68	Y551.06A	68
Y420.07AB	72	Y460.04AP	72	Y505.06A	68	Y521.10A	68	Y551.08A	68
Y420.07AP	72	Y460.04AV	72	Y505.08A	68	Y521.13A	68	Y551.10A	68
Y420.07AV	72	Y460.07A	67	Y505.08A	71	Y525.05A	69	Y551.13A	68
Y420.10A	67	Y460.07AB	72	Y505.10A	68	Y525.06A	69	Y555.05A	69
Y420.10AB	72	Y460.07AP	72	Y505.10A	71	Y530.04A	68	Y555.06A	69
Y420.10AP	72	Y460.07AV	72	Y505.13A	68	Y530.08A	68	Y560.04A	68
Y420.10AV	72	Y460.10A	67	Y505.13A	71	Y530.08AB	70	Y560.06A	68
Y421.04A	67	Y460.10AB	72	Y506.04A	68	Y530.08AP	70	Y560.08A	68
Y421.07A	67	Y460.10AP	72	Y506.06A	68	Y530.08AV	70	Y560.08AB	70
Y421.10A	67	Y460.10AV	72	Y506.08A	68	Y530.13AB	70	Y560.08AP	70
Y430.04A	67	Y461.04A	67	Y506.10A	68	Y530.13AP	70	Y560.08AV	70
Y430.04AB	72	Y461.07A	67	Y506.13A	68	Y530.13AV	70	Y560.10A	68
Y430.04AP	72	Y461.10A	67	Y508.05A	69	Y531.04A	68	Y560.10AB	70
Y430.04AV	72	Y480.04	81	Y508.06A	69	Y531.08A	68	Y560.10AP	70
Y430.10A	67	Y480.06	81	Y510.04A	68	Y535.05A	69	Y560.10AV	70
Y430.10AB	72	Y480.20	106	Y510.06A	68	Y540.04A	68	Y560.13A	68
Y430.10AP	72	Y480.22	106	Y510.08A	68	Y540.06A	68	Y560.13AB	70
Y430.10AV	72	Y480.24	106	Y510.08AB	70	Y540.08A	68	Y560.13AP	70
Y431.04A	67	Y480.26	106	Y510.08AP	70	Y540.08AB	70	Y560.13AV	70
Y431.10A	67	Y490.05	96	Y510.08AV	70	Y540.08AP	70	Y561.04A	68
Y440.04A	67	Y492.05	96	Y510.10A	68	Y540.08AV	70	Y561.06A	68
Y440.04AB	72	Y500.01A	68	Y510.10AB	70	Y540.10A	68	Y561.08A	68
Y440.04AP	72	Y500.01AB	71	Y510.10AP	70	Y540.10AB	70	Y561.10A	68
Y440.04AV	72	Y500.01AP	71	Y510.10AV	70	Y540.10AP	70	Y561.13A	68
Y440.07A	67	Y500.01AV	71	Y510.13A	68	Y540.10AV	70	Y565.05A	69
Y440.07AB	72	Y500.02A	68	Y510.13AB	70	Y540.13A	68	Y565.06A	69
Y440.07AP	72	Y500.02AB	71	Y510.13AP	70	Y540.13AB	70	Y580.05	81
Y440.07AV	72	Y500.02AP	71	Y510.13AV	70	Y540.13AP	70	Y580.10	81
Y440.10A	67	Y500.02AV	71	Y511.04A	68	Y540.13AV	70	Y580.20	82
Y440.10AB	72	Y500.03A	68	Y511.06A	68	Y541.04A	68	Y580.21	82
Y440.10AP	72	Y500.03AB	71	Y511.08A	68	Y541.06A	68	Y580.22	82
Y440.10AV	72	Y500.03AP	71	Y511.10A	68	Y541.08A	68	Y580.23	82
Y441.04A	67	Y500.03AV	71	Y511.13A	68	Y541.10A	68	Y580.24	82
Y441.07A	67	Y500.04A	68	Y515.05A	69	Y541.13A	68	Y580.25	82
Y441.10A	67	Y500.04AB	71	Y515.06A	69	Y545.05A	69	Y580.30	82
Y450.04A	67	Y500.04AP	71	Y520.04A	68	Y545.06A	69	Y580.31	82
Y450.04AB	72	Y500.04AV	71	Y520.06A	68	Y550.04A	68	Y580.32	82

Code	Page	Code	Page	Code	Page	Code	Page
Y580.33	82	Y660.06	76	Y844.04	107	Y858.00	103
Y580.34	82	Y662.07	76	Y844.11	107	Y858.03	103
Y580.35	82	Y690.02	95	Y844.12	107	Y858.04	103
Y581.20	82	Y690.03	95	Y844.13	107	Y859.00	103
Y581.21	82	Y690.04	95	Y844.14	107	Y859.04	103
Y581.22	82	Y690.05	95	Y850.11	102	Y859.06	103
Y581.23	82	Y690.06	95	Y852.01	102	Y859.07	103
Y581.24	82	Y691.02	95	Y852.11	102		
Y581.25	82	Y691.03	95	Y852.21	102		
Y581.26	82	Y691.04	95	Y852.31	102		
Y581.27	82	Y691.05	95	Y853.11	102		
Y581.28	82	Y693.02	97	Y853.21	102		
Y581.40	83	Y693.04	97	Y853.31	102		
Y581.41	83	Y695.00	81	Y853.51	102		
Y581.42	83	Y695.03	81	Y857.01	103		
Y581.43	83	Y696.00	81	Y857.01	103		
Y581.44	83	Y696.03	81	Y857.03	103		
Y581.45	83	Y800.00	101	Y857.03	103		
Y581.46	83	Y800.10	101	Y857.10	104		
Y581.47	83	Y802.00	101	Y857.13	104		
Y581.48	83	Y802.10	101	Y857.15	104		
Y581.49	83	Y803.00	101	Y857.20	104		
Y581.50	83	Y803.10	101	Y857.23	104		
Y581.51	83	Y805.11	100	Y857.25	104		
Y581.52	83	Y805.20	100	Y857.30	104		
Y581.53	83	Y808.00	100	Y857.33	104		
Y590.01	89	Y809.00	100	Y857.35	104		
Y590.03	89	Y810.00	101	Y857.40	105		
Y590.04	89	Y810.01	101	Y857.41	105		
Y590.05	89	Y812.00	101	Y857.42	105		
Y590.06	89	Y819.00	100	Y857.43	105		
Y590.07	89	Y819.01	100	Y857.44	105		
Y590.08	89	Y820.11	101	Y857.45	105		
Y590.10	89	Y820.11M	101	Y857.47	105		
Y590.12	96	Y820.12	101	Y857.70	104		
Y590.13	96	Y820.12M	101	Y857.70P	104		
Y591.01	96	Y820.13	101	Y857.71	104		
Y591.03	96	Y820.13M	101	Y857.71P	104		
Y591.07	96	Y820.14	101	Y857.72P	104		
Y591.08	96	Y820.14M	101	Y857.73	104		
Y591.09	96	Y820.15	101	Y857.74	104		
Y600.01	77	Y820.15M	101	Y857.75	104		
Y600.02	77	Y820.16	101	Y857.76	104		
Y610.06	76	Y820.16M	101	Y857.80	104		
Y612.07	76	Y835.00	80	Y857.83	104		
Y620.06	76	Y843.04	103	Y857.85	104		
Y622.07	76	Y843.06	103	Y857.90	105		
Y630.06	76	Y843.08	103	Y857.91	105		
Y640.06	76	Y843.09	103	Y857.92	105		
Y642.07	76	Y844.01	107	Y857.93	105		
Y650.06	76	Y844.02	107	Y857.94	105		
Y652.07	76	Y844.03	107	Y857.95	105		



BAHADIR TIBBİ ALETLER AŞ

Şabanoğlu OSB Mah. Vali M. Erdoğan Cebeci Bul. No:29/1
Tekkeköy - Samsun / Türkiye
Tel. +90 (362) 266 7000
www.bahadir.com - info@bahadir.com.tr

BAHADIR SAĞLIK SANAYİ AŞ

Liman Serbest Bölge Mah. 1. Cad. No: 42
İlkadım / Samsun / Türkiye
info@bahadirsaglik.com

BAHADIR USA LLC

431 S.Pennsville Auburn Road
Carneys Point, NJ 08069
Tel. +1 856 517 3080
www.bahadirusa.com - info@bahadirusa.com

Sterilization Container Systems

CT20-0324 2024 Version

Copyright © 2024, Bahadır Companies. All rights reserved. All visual and textual contents in this catalog are protected by copyrights and other rights owned by Bahadır Companies. We reserve the right to modify our products at any time.